

Gift of
Earl Blough
November 1957

CATALOGUE

For 1854,

OF A FINE COLLECTION OF

Floricultural, Vegetable and Agricultural

SEEDS,

COMPRISING SPLENDID ASSORTMENTS OF

GERMAN ASTERS, STOCKS, ZINNIAS, &c.,

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS.

In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the numbers without the names; but as the numbers are changed every year, it is absolutely necessary to say from the Catalogue for 1854.

Page 2 and 3 Necessary explanations.

4 German Flower Seeds.

5 to 23 Miscellaneous Flower Seeds.

24 Sundry Assortments.

Page

25 Packets of mixed Flower Seeds.

26 Flowering Bulbs.

27 to 31 Kitchen Garden and Fruit Seeds.

32 Agricultural Seeds.

Page 23, Additional Flower Seeds, many of which are quite new, and rare.

31, Collection of Hardy and Half-hardy Annuals, &c.

31, Collection of the newest Annuals, &c. &c.

THE

LIST OF VEGETABLE SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF

JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

Catalogues will be forwarded gratis and prepaid on application.

* * The German Seeds are from the usual sources.

A Catalogue of Dutch Bulbs will be published in the Autumn.

January 1854.

[Entered at Stationers' Hall.]

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.
4th Column.—*Hardiness* and *Duration*.

- | | |
|---|---|
| h. hardy—plants for the open borders. | A. annual—last one year. |
| hh. half-hardy—such as require a hot-bed. | B. biennial—last two years. |
| t. tender—pot plants, require shifting. | P. herbaceous perennial—last three or more. |
| f. frame—require protection till May. | S. shrub, or under-shrub. |
| g. greenhouse—greenhouse plants. | Pb. perennial bulb, corn, or tuber. |
| s. stove or hot-house—stove plants. | T. tree. |

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hS. hardy shrub; hPb. hardy bulbous perennial; hT. hardy tree; hA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove perennial; sS. stove shrub; sPb. stove bulbous perennial.

5th Column.—*Colour of the flower.* The following are the principal abbreviations:

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apetalous.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	p. purple.	stra. straw.
b. blue.	flesh. flesh.	pch. peach.	stri. striped.
blk. black.	gn. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	va. variegated.
bff. buff.	lem. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. & y. blue, white and yellow; l. r. light red; ro. l. rosy lilac, &c. &c.

6th Column.—*Usual height of the plant in feet; trai. trailer.*

7th Column.—*Usual month of flowering: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.*

8th Column.—*Price per Packet.* 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require a moderate hot-bed and re-potting to bring them to perfection.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early.

sp. species; var. varieties; pl. pluria, many; ex. from.—lf. leaf; fr. fruit.

The dots | ... | ... | ... | ... | indicate a repetition.

I. THE 24 LINNEAN CLASSES.

(See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

a. <i>Stamens (male organs) equal.</i>		e. <i>Stamens united in sets.</i>	
No. 1. Monan'dria .	1 stamen	16. Monadelphia, 1 set	
2. Diandria .	2 stamens	17. Diadelphia, 2 sets	
3. Triandria .	3 "	18. Polyadelphia, many sets	
4. Tetrandria .	4 "	d. <i>Compound Flowers (Asters, &c.).</i>	
5. Pentandria .	5 "	19. Syngensis	
6. Hexandria .	6 "	e. <i>Stamens on the style.</i>	
7. Heptandria .	7 "	20. Gynandria	
8. Octandria .	8 "	f. <i>Male and female separated.</i>	
9. Emcandria .	9 "	21. Monœ'cia, on one plant	
10. Decandria .	10 "	22. Diœ'cia, on different plants	
11. Dodecandria 12 to 19 S. in the cup		g. <i>Male, female, and hermaphrodite Flowers on one or different plants.</i>	
12. Icosandria 20 or more S. on the base		23. Polygamia, many marriages	
13. Polyandria, many Stamens		h. <i>Flowers wanting, or incomplete.</i>	
b. <i>Stamens unequal.</i>		24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	
14. Didynamia, 2 long, 2 short			
15. Tetradyndamia, 4 " 2 "			

II. THE LINNEAN ORDERS.

(See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, Pods, or Fronds.

a. *Orders founded on the Styles, or female organs.*

No. 25. Monogynia	1 style
26. Digynia	2 styles
27. Di-pentagynia	2 to 5 "
28. Trigynia	3 "
29. Tetragynia	4 "
30. Pentagynia	5 "
31. Hexagynia	6 "
32. Heptagynia	7 "
33. Decagynia	10 "
34. Dodecagynia	12 "
35. Polygynia	many "

b. *On the Stamens (male organs).*

36. Monandria	1 stamen
37. Diandria	2 stamens
38. Triandria	3 "
39. Tetrandria	4 "
40. Pentandria	5 "
41. Hexandria	6 "
42. Heptandria	7 "
43. Octandria	8 "
44. Enneandria	9 "
45. Decandria	10 "
46. Dodecandria	12 "
47. Icosandria	20 "
48. Polyandria	many "

c. *On the sets of Stamens.*

49. Monadelphia, 1 set

d. *Styles and stamens united.*

No. 50. Gynandria, male and female

e. *Male and female seporate.*

51. Monœcia, on one plant
52. Dioœcia, on different plants

f. *On the Polygamy.*

53. { Polygamia æqualis, or
Equal Polygamy
54. { Polygamia superflua
Superfluous Polygamy
55. { Polygamia frustranea
Frustrated Polygamy
Polygamia necessaria
56. { Necessary Polygamy
Polygamia segregata
57. { Separated Polygamy

g. *On the Seeds.*

58. { Gymnospermia
Naked seeds
59. Angiospermia, in o capsule

h. *On the Pods.*

60. Siliculosa, a small pod
61. Siliquosa, a long pod.

i. *On the Fronds, &c.*

62. Filices, Ferns.

III. THE NATURAL ORDERS.

(See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

63. Acanthaceæ	89. Crucifereæ	115. Lythraceæ	141. Rutaceæ
64. Amaranthaceæ	90. Cucurbitaceæ	116. Magnoliaceæ	142. Salicariaceæ
65. Amariyllidaceæ	91. Dilleniaceæ	117. Malvaceæ	143. Saxifragaceæ
66. Amentaceæ	92. Dipsacaceæ	118. Marantaceæ	144. Scrophulariaceæ
67. Anacardiaceæ	93. Eupacridaceæ	119. Melanthaceæ	145. Selaginaceæ
68. Apocynaceæ	94. Ericaceæ	120. Myrtaceæ	146. Sesameæ
69. Asclepiadaceæ	95. Euphorbiaceæ	121. Nyctaginaceæ	147. Silenaceæ
70. Aurantiaceæ	96. Ficoideæ	122. Nymphaeaceæ	148. Solanaceæ
71. Balsaminaceæ	97. Filices	123. Oleaceæ	149. Stellateæ
72. Begoniaceæ	98. Francoaceæ	124. Oleaceæ	150. Terebinthaceæ
73. Bignoniaceæ	99. Fumariaceæ	125. Onagraceæ	151. Thymelaceæ
74. Boraginaceæ	100. Gentianaceæ	126. Oxalidaceæ	152. Tropaeolaceæ
75. Bruniaceæ	101. Geraniaceæ	127. Papaveraceæ	153. Tulipaceæ
76. Cactaceæ	102. Gesneriaceæ	128. Passifloraceæ	154. Umbellifereæ
77. Campanulaceæ	103. Gramineæ	129. Phytolaccaceæ	155. Urticaceæ
78. Capparidaceæ	104. Hydrophyllaceæ	130. Pittosporaceæ	156. Valerianaceæ
79. Caprifoliaceæ	105. Hypericaceæ	131. Plumbaginaceæ	157. Verbenaceæ
80. Celastrinaceæ	106. Iridaceæ	132. Polemoniaceæ	158. Violaceæ
81. Cinchonaceæ	107. Jasmynaceæ	133. Polygalaceæ	159. Ithamiaceæ
82. Cistaceæ	108. Labiataæ	134. Polygonaceæ	160. Zygophyllaceæ
83. Cobaceæ	109. Leguminosæ	135. Primulaceæ	
84. Commelinaceæ	110. Liliaceæ	136. Primulaceæ	
85. Compositæ	111. Limnanthaceæ	137. Proteaceæ	
86. Conifereæ	112. Linaceæ	138. Ranunculaceæ	
87. Convolvulaceæ	113. Loasaceæ	139. Resedaceæ	
88. Crassulaceæ	114. Lobeliaceæ	140. Rosaceæ	

Additional Order.

161. Rhodoraceæ

The names of the Natural Orders ending in ACEÆ are chiefly derived from Generic Names, as CAMPANULACEÆ from CAMPANULA; such as end in æ only are not, as COMPOSITÆ, compound flowers; CRUCIFERÆ, cross-shaped; LABIATÆ, lip-flowered, &c.

The Natural Orders, for reference to which the numbers 63 to 161 afford great facility, will prove of essential service to the Amateur in forming, by comparison, an opinion of any plant in this Catalogue which is unknown to him; for instance, *Avagallis*, *Cyclamen*, *Dodecatheon*, *Primula sinensis* or Chinese *Primrose*, *Auricula* and *Polygonus* belong to the same Natural Order, *Primulaceæ*, No. 136; consequently should he not know *Dodecatheon*, the knowledge of one or more of the others would greatly assist him in forming an opinion of it. In making comparisons, the height of the plant should however be considered. The *Aster* and the *Daisy*, for example, belong to the same Natural Order 85, but at first sight there does not appear to be much resemblance between them, the difference in the magnitude of the flowers and height of the plants being so very great.

GERMAN FLOWER SEEDS

IN CHOICE ASSORTMENTS.

The Seeds are warranted of first-rate quality.

Explan. h. hardy; hh. half-hardy; t. tender; A. Annual; B. Biennial; P. Perennial.

No.							s.	d.	
1	12	very fine varieties of	quilled	German Aster, separate,	hhA.	3	0	
2	12	do.	do.	do.	do.	„ smaller packets	1	6	
3	16	splendid	do.	new Globe	do.	„	4	0	
4	16	do.	do.	do.	do.	„ smaller packets	2	0	
5	12	superb	do.	new Perfection	do.	do.	5	0	
6	12	do.	do.	do.	do.	„ smaller packets	2	6	
7	12	extra fine	do.	new Pyramidal	do.	do.	3	0	
8	12	do.	do.	do.	do.	„ smaller packets	1	6	
9	10	beautiful	do.	new Bouquet	do.	do.	5	0	
10	10	do.	do.	do.	do.	„ smaller packets	2	6	
11	16	do.	do.	new Dwarf	do.	do.	4	0	
12	16	do.	do.	do.	do.	„ smaller packets	2	0	
13	78	varieties, comprising all the above	do.	do.	do.	„	22	0	
14	78	do.	do.	do.	do.	„ smaller packets	11	0	
15	16	finest varieties of Dwarf	German Stock,	do.	do.	„	4	0	
16	16	do.	do.	do.	do.	„ smaller packets	2	0	
17	12	very fine	do.	Branching	do.	do.	3	0	
18	12	do.	do.	do.	do.	„ smaller packets	1	6	
19	12	fine	do.	Wallflower-leaved	do.	do.	3	0	
20	12	do.	do.	do.	do.	„ smaller packets	1	6	
21	10	superb	do.	new large-flowered	do.	do.	3	6	
22	6	beautiful	do.	Miniature	do.	do.	2	0	
23	12	very fine	do.	Autumnal Nosegay	do.	do.	3	0	
24	12	do.	do.	do.	do.	„ smaller packets	1	6	
25	68	varieties, comprising all the above	do.	do.	do.	„	17	6	
26	68	do.	do.	do.	do.	„ smaller packets	9	0	
27	10	splendid varieties of Imperial Stock,	do.	hhP†	3	6		
28	12	finest	do.	Winter or Queen	do.	hhB. small packets...	2	0	
29	24	finest new varieties of named	Antirrhinum,	do.	hP†	5	0	
30	10	very fine	do.	double Balsam,	do.	tA., hhA., or Greenh.	2	0	
31	10	superb new do.	Camellia-flowered	do.	do.	„	2	0	
32	10	splendid do.	Rose-flowered	do.	do.	„	2	0	
33	10	beautiful	do.	Miniature	do.	do.	2	0	
34	50	extra fine	do.	Carnation & Picotee, 5 seeds of each,	hhP.	12	0	
35	16	superb new do.	annual	Helichrysum,	hhA.	3	6	
36	20	very fine	do.	German Hollyhock,	hP.	3	6	
37	20	splendid new do.	English and Scotch	do., from named flowers,	hP.	5	0	
38	12	finest	do.	Dwarf Rocket	do.	„	2	6	
39	12	very fine	do.	tall pyramidal	do.	„	2	6	
40	10	beautiful new do.	Ilyacinth-flowered	do.	„	2	6	
41	10	very fine	do.	Branching or Stock	do.	„	2	6	
42	12	extra fine	do.	German Marigold,	hhA.	2	6	
43	16	beautiful	do.	do.	Petunia,	hhP†, or Greenhouse	5	0	
44	12	extra fine	do.	do.	Phlox Drummondii,	hhA.	4	0
45	12	splendid	do.	do.	Poppy,	hA.	2	6
46	16	very fine	do.	do.	Salpiglossis,	hhP†, or Greenhouse	4	0	
47	16	superb	do.	large-flowered	Scabious,	hA.	4	0
48	12	beautiful	do.	new dwarf	do.	„	2	6	
49	10	superb new do.	German	Wallflower,	h. Shrub	4	0	
50	10	do.	do.	do.	„	smaller packets	2	0	
51	24	splendid	do.	newest	Zinnia elegans,	hhA.	7	0
52	12	extra fine	do.	do.	do.	„	3	6	
ADDITIONAL SEEDS.									
53	10	superb new varieties of	Paony-flowered	Aster,	hhA.	small packets	4	0	
54	10	splendid do.	do.	Expanding-flowered	do.	do.	4	0	
55	6	superb new large-flowered	Imperial	Stock,	hhP†	do.	3	6	
56	6	extra fine	do.	Cape Giant	do.	hhB.	3	0	
57	24	beautiful	do.	dwarf annual	do., several new,	hhA.	6	0	
58	24	do.	do.	do.	do.	„ small packets	3	0	

N.B. The Numbers 1 to 24 represent the 24 Linnæan Classes (see Column 1st), whereas those indicating the Linnæan Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, *Campanula*, 5, 25, 77, belongs to the 5th Linnæan Class, *Pentandria*, the flower having 5 Stamens; to the Linnæan Order *Monogynia*, from its having 1 Style (*Pistillum*); and to the Natural Order *Campanulacææ*, plants with Bell-shaped Flowers. See page 7, No. 184.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Acæcia speciosa* is rendered showy *Acacia*, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1854. N.B. The numbers being changed every year, it is absolutely necessary to say from what Catalogue they are taken.

A — indicates a variety, see No. 84. () That the word is not literally translated, or is superadded.													
THE ACCENTS.													
â, è, ï, ò, ù, ý, as in Aë-cia, Gardè-nia, Lupi-nus, Cù-phea, Hy-acinth.													
á, é, í, ó, and ý, as in Itát-ica, ét-egans, bie-otor, Nemóph-ita (u similarly placed is long, as in tleida).													
Scientific Name.													
No.													
59	Abrònia multiflòra	many-flowered	5	25	121	fP†	ro. li.	trai	6-8	6			
60	Acæcia floribunda	bunch-flowered	23	51	109	gS	y.	6	5-7	4			
61	pulchella	pretty	10	...	4			
62	speciosa	showy	p.	6	5-6	4			
63	virgata	twiggy	y.	3	7-8	3			
64	Achillæa macrophylla	long-leaved	19	54	85	hP†	w.	6	...	4			
65	Achimenes, pl. sp.	(splendid mixed)	14	59	102	sPb	div.	1	6-10	10			
66	Adenóphora élegans	elegant	5	25	77	hP†	b.	2	7-8	6			
67	suavèolens	sweet-scented	l. b.	3			
68	Agerátum mexicanum	Mexican	19	53	85	hA	...	1½	6-10	3			
69	odorátum	fragrant	3			
70	Agrostis élegans	elegant	3	26	103	...	ap.	1	7-8	3			
71	Alonsòa incisifolia	cut-leaved	14	59	144	hhP†	s.	...	6-9	4			
72	incisifolia picta	painted	s. & y.	4			
73	Alstroemeria psittacina	parrot (striped)	6	25	65	hhPb	stri.	1½	6-8	6			
74	hybrida novà	new hybrid	div.	2	6-9	10			
75	Alyssum Benthàmi	Mr. Benthams	15	60	89	hA	w.	1	6-8	6			
76	maritimum	(Sweet)	½	...	3			
77	saxatile	rock	hP†	y.	1	5-7	3			
78	Amaranthus tricolor	three-coloured	21	40	64	tA	va. l.	...	7-8	3			
79	Amethystea cærulea	blue	2	25	108	hA	b.	1½	...	3			
80	Amphèrephlis intermèdia	intermediate	19	53	85	...	p.	4			
81	Anagallis indica	Indian	5	25	136	...	b.	1½	...	3			
82	fruticosa	shrubby	gB†	s.	1½	6-9	6			
83	Monelli	Monelli's	gP†	b.	1	...	6			
84	— bicolor	two-coloured	var.	6			
85	— Phillipsii	Phillips's	b.	6			
86	— Parksii	Parks's	s.	6			
87	Anastátia hierochuntina	(Rose of Jericho)	15	60	89	hhA	w.	½	7-8	4			
88	Achùsa arvàlis	cultivated	5	25	74	hP†	b.	1½	...	3			
89	ochroleuca itálica	Italian	3			
90	Andrómeda speciosa	showy	10	...	94	hS	w.	3	6-9	6			
91	Anemòne caroliniàna	Carolina	13	35	138	hPb	...	¾	5-7	6			
92	coronària	(Garland or Poppy)	div.	6			
93	Hudsoniana	Hudson's	w.	6			
94	Andòa Dilleniana	Dilleniuss	16	48	117	hA	b.	2	7-8	3			
95	incarnata	flesh-coloured	flsh.	3			
96	hastata	halbert-shaped	b.	3			
97	Anomathèca cruenta	blood-red	3	25	106	fPb	r.	1	...	4			
98	Antirrhinum majus	Snapdragon, large	14	59	144	hP†	div.	2	6-10	6			
99	majus album plenum	— double white	w.	3			
100	— bicolor	— two-coloured	s. & y.	3			
101	— caryophylloides	— Carnation	stri.	3			
102	— coccineum	— scarlet	s.	3			
103	— élegans	— elegant	var.	3			
104	— flavum	— yellow	y.	3			

A — indicates a variety. () That the word is not literally translated, or is superadded (See page 5).

A — indicates a variety. () That the word is not literally translated, or is superadded (See page 5).										
No.		L. O.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
							feet		s. d.	
105	Antirrhinum m. formosum	beautiful	14	59	144	hP†	c.	2	6-9	6
106	majus fulgidum	glowing	s.	3
107	— flore-pleno	double-flowered	va.	6
108	— nanum novum	new dwarf	w. & r.	1½	...	4
109	— quadricolor	four-coloured	4-col.	2	...	4
110	— striatum novum	new striped	stri.	4
111	Aquilegia alpina	alpine	13	30	138	...	b.	1½	5-7	4
112	canadensis	Canadian	r. & o.	4
113	formosa	beautiful	o. & y.	4
114	fragrans	fragrant	y. va.	4
115	glandulosa	glandular	b. & w.	4
116	sibirica fl. pl.	Siberian, double-fl.	b.	4
117	Skinneri	Mr. Skinner's	s. & g.	4
118	vulgaris stellata	starry	b. & w.	4
119	Wittmannii	Wittmann's	b.	4
120	Aretotis breviscapa	narrow-seaped (fine)	19	56	85	hhA	o. & br.	½	7-8	6
121	Argemone grandiflora	large-flowered	13	25	127	hA	w.	2	...	4
122	mexicana	Mexican	y.	3
123	speciosa	showy	3
124	Aristolochia siphon**	siphon	20	41	161	hP	y. & br.	20	...	6
125	picta**	painted	gP	ptd.	6
126	Asclepias curassavica	Curassao	5	26	69	sP	s.	2½	6-8	4
127	sp. albiflora nova	new white-flowered	w.	3	...	1 0
128	tuberosa	tuberous	hPb	o.	2	7-8	4
129	Aster alpinus albus	white alpine	19	54	85	hP†	w.	3	...	3
130	sericeus	silky	hhP	b.	3	...	3
131	tenellus	slender	hB†	b. & y.	3	...	3
132	Azalea pontica, 50 sp. & var.	(splendid mixed)	5	25	94	hS	div.	3	4-7	1 0
133	indica	Indian	gS	1 0
134	Bartonia aurea	golden	12	...	113	hA	y.	1½	7-8	3
135	Begonia nitida	shining	21	48	72	sS	w.	3	...	4
136	Bellis perennis, fl. pl.	(double Daisy)	19	54	85	hP†	div.	½	4-7	1 0
137	Bidens grandiflora	large-flowered	...	53	...	hA	y.	2	7-8	3
138	Bignonia australis**	Australian	14	59	73	sS	o.	10	6-8	6
139	— laurifolia**	laurel-leaved	pk.	15	...	6
140	— radicans major**	larger	hS	o.	10	7-9	6
141	Blumenbachia insignis	distinguished	18	48	113	hA	w.	1	7-8	3
142	Brachycome iberidifolia	Iberis-leaved	19	54	85	hhA	b.	4
143	iberidifolia alba	white	w.	4
144	purpurea violacea	purple and violet	p. & v.	4
145	Browallia elata	tall	14	59	144	gA	b.	2	...	4
146	elata alba	white	w.	4
147	demissa	spreading	l. b.	1	...	4
148	Buddleia Lindleyana	Dr. Lindley's	4	25	...	gS	d. v.	6	7-9	6
149	Calacia coccinea	scarlet	19	53	85	hhA	s.	½	7-8	3
150	coccinea aurea	yellow	y.	3
151	Cactus, sp. ex Texas, &c.	Texian, &c.	12	25	76	sS	div.	2	div.	1 0
152	Cajanus flavus	yellow	17	45	109	...	y.	4	7-8	4
153	Calampelis scabra**	rough (podded)	14	59	73	gP†	o.	6	6-9	4
154	longiflora**	long-flowered	6
155	miniata**	vermilion	ver.	6
156	Calandrinia discolor (elegans)	elegant	11	25	135	hhP†	ro.	1½	7-8	4
157	grandiflora	large-flowered	p.	3
158	Lindleyana	Dr. Lindley's	bA	r.	1	...	3
159	speciosa	showy	p.	3
160	umbellata	umbelled	hhA	...	3	...	6
161	Calceolaria pinnata	pinnate	2	...	144	...	y.	1½	...	3
162	hybrida	hybrid (extra)	gP	div.	2	6-9	1 0
163	— punctata superba	superb spotted	1 0
164	sp. ex Peru	Peruvian species	hhP	y.	1½	...	6
165	Callichroa platyglossa	(broad-rayed)	19	56	85	hA	...	1	7-8	3
166	Calliopsis (Coreopsis)	(splendid mixed)	...	55	div.	2	7-9	6
167	bicolor	two-coloured	y. & r.	3
168	— atrosanguinea	dark red	d. r.	3
169	— grandiflora	large-flowered	y. & r.	3
170	— marmorata	marbled	spot.	4
171	— nigra speciosa	showy dark	d.	4
172	— semiplena	semi-double	y. & r.	4

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.			Col.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
241	Cladanthus arábicus	Arabian	19	54	85	hA	y.	1	6-8	s. d.
242	Clarkia elegans	elegant	8	25	125	...	li.	1½	...	3
243	— elegans rosea	— rose-coloured	ro.	3
244	— — flore-pléno	— double	li.	3
245	— — rosea	— — rose	ro.	3
246	— nerifolia	— Nerium-leaved	pk.	1	...	3
247	— violæca	— violet	v.	1½	...	3
248	pulehella	pretty	ro.	3
249	— alba	— white	w.	3
250	— grandiflora	— large-flowered	r.	3
251	— — alba	— white do.	w.	3
252	Clématis flammula**	flame	13	35	138	hS	15	6-10	3
253	— montana**	mountain	6
254	Cléome pentaphylla	five-leaved	15	61	78	hhA	2	7-8	4
255	pungens	pungent	4
256	— rosea	rose-coloured	ro.	4
257	speciosissima	most showy	p.	6
258	Clerodendron fallax superb.	superb	14	59	157	sS	s.	6	7-10	1 0
259	— speciosissimum	most showy	1 0
260	Clianthus puniceus	crimson	17	45	109	hS	cr.	7-9	6
261	Clintonia elegans	elegant	16	40	114	hhA	h.	1½	7-8	3
262	— pulchella	(most beautiful)	3 col.	1	...	6
263	— alba	white	w.	6
264	— atroviolettea	dark violet	d. v.	6
265	Clitória Ternatea**	(sky-blue)	17	45	109	sS	b.	4	...	1 0
266	Cobæa scandens**	climbing	5	25	83	gS	p.	30	6-9	6
267	Coffea arábica	(Coffee Tree)	81	sT	w.	20	7-10	6
268	Collinsia bicolor	two-coloured	14	59	144	hA	pk. & w.	1½	6-8	3
269	— bicolor atrovibens	dark red	r. & w.	3
270	— heterophylla	various-leaved	p. & w.	3
271	— multicolor	many-coloured	div.	3
272	— grandiflora	large-flowered	p. & b.	1	...	3
273	Collomia coccinea	scarlet	5	25	132	...	s.	7-8	3
274	Commichua cælestis	sky-blue	3	...	84	fPb	b.	1½	...	3
275	— cælestis alba	white	w.	3
276	Coronilla glauca	glauceous (leaved)	17	45	109	gS	y.	2	5-8	3
277	Corydalis aurea	golden	...	41	99	hB†	1	5-7	3
278	Cosmanthus fimbriatus	fringed	5	25	104	hA	b. & w.	¾	6-8	3
279	Cosmea bipinnata	bipinnate	19	55	85	hhA	p.	2	8-10	3
280	— grandiflora	large-flowered	d. p.	6
281	Cratægus, sp. ex Texas	Texasian species	12	27	140	hS	w.	10	5-8	6
282	Cræus vernus	vernal	3	25	106	hPb	div.	¾	3-4	4
283	Cuphea Donkelaarîi	Donkelaar's	11	...	115	fB†	er. & bl.	1½	7-9	6
284	— platycentra	broad-centred	r. & y.	1½	...	6
285	— miniata	vermilion	ver.	4
286	— purpurea, pl. var.	purple, various	hhA	div.	1½	...	4
287	— kermesina	crimson	er.	4
288	— silenoides	Silene-like	flsh.	4
289	— speciosa	showy	s.	6
290	— strigillosa	strigillose	s. & y.	4
291	Cyclamen europæum	European, 2 var.	5	...	136	hPb	r. & w.	¾	6-9	6
292	— neapolitanum	Neapolitan	gPb	r.	6
293	Cytisus argenteus	silvery	16	45	109	hS	y.	3	5-7	3
294	— racemosus	bunch-flowering	6-7	3
295	Dahlia Cervantesii	Cervantes's	19	54	85	hhP†	s.	7-9	6
296	— frustranea, fl. pl.	(fine double)	hhPb	div.	3-4	7-10	6
297	— glabrata	smooth	hhA	p.	1	7-8	6
298	Datura ceratocaula	horn-stalked	5	25	148	...	w. & ro.	3	...	4
299	— fastuosa	showy	p.	2	...	4
300	— alba	white	er.	4
301	Daubentonia punicea	crimson	17	45	109	gS	w.	6	8-10	1 0
302	— Tripetiana	Tripet's	s. & o.	6
303	Delphinium amœnum	pleasing (Larkspur)	13	28	138	hP†	l. b.	2	7-9	3
304	— azureum	azure	b.	3
305	— cheilanthum	lip-flowering	1½	...	6
306	— chinense	Chinese	3
307	— album	— white	w.	4
308	— cælestis	— sky-blue	l. b.	4

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flw.	Price. s. d.
309	Delphinium chinense pictum	13	28	138	hP†	var.	1½	7-9	4
310	— cæruleum	b.	4
311	— sulphureum plenum	sul.	4
312	— tricolor	3 col.	4
313	— plenum	4
314	Donkelærii	b.	2	...	4
315	elatum	3	...	3
316	— mesoleucum	b. & w.	3
317	élegans	b.	1½	...	3
318	grandiflorum	3
319	ochroleucum	p. y.	2	...	3
320	puniceum	cr.	4
321	splendens	b.	4
322	Towardii	4
323	triste	d.	4
324	Wheeleri	b.	6
325	Dianthus alpestris	10	26	147	...	r.	¾	6-9	3
326	atrorubens*	d. r.	1	...	4
327	— violaceus*	v.	4
328	barbatus	hP	div.	1½	...	3
329	— coccineus	s.	4
330	— flore-pleno	div.	4
331	— striatus	stri.	4
332	Carthusianorum	r.	3
333	Caryophyllus	div.	2	...	3
334	— flore-pleno	hhP	1 0
335	— bicolor	2 6
336	— variegatus	2 6
337	— punctatus	hP	3
338	— flore-pleno	hhP	1 0
339	— albus	w.	2 6
340	— flavus	y.	2 6
341	caucasicus	hP†	r.	3
342	chinensis*	hB†	div.	¾	...	4
343	— albo-plenus*	w.	4
344	— fimbriatus	li.	4
345	— hybridus*	div.	4
346	— imperialis, fl. pl.*	4
347	— incarnatus	flesh.	4
348	— nanus*	cop.	¾	...	4
349	— striatiflorus	stri.	¾	...	4
350	crucentus	hP†	d. r.	1	...	4
351	ferrugineus	cop.	½	...	4
352	Garnierianus	div.	1	...	4
353	giganteus	r.	3	...	3
354	guttatus	spot.	½	...	3
355	hispanicus*	div.	1	...	3
356	— splendens*	s.	4
357	japonicus*	cr.	4
358	marginatus	w. & r.	¾	...	4
359	moschatus	hP	div.	1	...	3
360	— flore-pleno	1 0
361	nitidus	hP†	r.	4
362	plumarius	hP	div.	1½	...	3
363	pulehellus	hP†	...	1	...	3
364	superbus	li.	1½	...	3
365	— grandiflorus	div.	4
366	Didiscus cæruleus	5	...	154	hhA	b.	2	7-8	6
367	Digitalis aurea	14	59	144	hP†	y.	1½	6-9	3
368	lanata	d. y.	3
369	Buxbaumi	r. br.	3
370	ferruginea	bff.	3
371	— gigantea	3½	...	3
372	grandiflora	y.	1½	...	3
373	purpurea	p.	3	...	3
374	— alba	w.	3
375	— punctata	spot.	3
376	Winterli	br.	1½	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)		Cl.	L.	O.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										s.d.
377	Disphœnia arborea	tree (Fern)	24	62	97	sT	ap.	12	5-7	1 0
378	Dodecæthron Meadia	Meadia	5	25	136	hhP†	div.	1	6-8	6
379	Dracocéphalum canariense	(Balm of Gilead)	14	58	108	...	r. & p.	2	7-9	4
380	grandiflorum	large-flowered	hP†	b.	4
381	superbum	superb	4
382	Dracòpis amplexicaulis	stem-clasping	19	55	85	hA	y.	...	7-8	3
383	Echium créticum	Cretan	5	25	74	...	r.	...	6-7	4
384	Epàcris hybrida superba	splendid hybrid	93	gS	div.	div.	2	6
385	Ephedra altissima	tallest	22	49	86	...	ap.	20	7-9	6
386	Eragrostis elegans*	elegant	3	26	103	hA	...	1	7-8	3
387	Eremurus spectabilis	showy	6	25	110	hPb	y.	2	5-7	6
388	Erica coccinea	scarlet	8	...	94	gS	s.	1½	1-12	6
389	margaritæca	pearly	w.	...	5-9	6
390	Plukenetii	Plukenet's	r.	...	5-7	6
391	tubiflora	tube-flowered	pk.	6
392	Erinus alpinus	alpine	14	59	144	hP†	li.	½	4-6	3
393	Eryngium giganteum	gigantic	5	26	154	hP	r.	2	7-8	3
394	Erysimum Peroffskianum	Peroffski's	15	61	89	hA	o.	1	6-8	3
395	arkasanum	Arkasas	1 0
396	Erythrina caffra	Caffrarian	17	45	109	gS	s.	6	7-10	1 0
397	crista-galli	cock's-comb	sS	...	15	6-9	1 0
398	Hendersoni	Henderson's	1 0
399	Eschscholtzia californica	Californian	13	29	127	hP†	y.	1½	6-8	3
400	compacta	compact	1	...	3
401	crœca	orange	o.	1½	...	3
402	— alba	white	w.	3
403	Ethulia corymbosa	bunch-flowered	19	53	85	hhA	p.	1½	7-8	3
404	Eucharidium concinnum*	neat	8	25	125	hA	...	1	6-8	3
405	grandiflorum*	large-flowered	3
406	Eucenide bartonioides	Bartonia-like	12	...	113	hhA	y.	6
407	Euphorbia variegata	variegated	11	28	95	...	va. lf.	...	7-8	6
408	Eutœca multiflora	many-flowered	5	25	104	h	lav.	3
409	viscida	viscid	b.	3
410	Wrangeliæna	Dr. Wrangel's	li.	3
411	Fragaria indica	Indian (Strawberry)	12	35	140	hP†	y.	...	5-9	6
412	Frœca ramosa	branching	8	29	98	hhP	w.	2½	7-9	6
413	sonchifolia	Sonchus-leaved	ro. p.	6
414	Fuchsia, pl. sp. et var.	(splendid mixed)	...	25	125	gS	div.	div.	6-9	1 0
415	Gaillardia picta	painted	19	55	85	hhP†	y. & s.	1½	7-9	4
416	picta pulchella	pretty	s. & y.	4
417	— coccinea	scarlet	s.	4
418	— Josephus	Josephus	o. & s.	4
419	— nana	dwarf	s.	1	...	4
420	— splendens	splendid	va.	1½	...	4
421	bicolor	two-coloured	hP†	y. & br.	2	...	3
422	Richardsoni	Richardson's	o.	3
423	Wellsiana	Wells's	y. & r.	1½	...	3
424	Gamòlepis Tagetes	(Tagetes-like)	...	56	...	hhA	y.	2	7-8	6
425	Gardënia Rothmanni	Rothmann's	5	25	81	gS	l. y.	8	6-8	6
426	Gaura Lindheimeria	Lindheimer's	8	...	125	hhA	w. & r.	2	7-8	4
427	texana	Texian	y.	4
428	Gazania rigens	rigid (splendid)	19	55	85	fS	...	1	7-9	1 0
429	Gentiana acaulis	stemless	5	26	100	hP†	b.	½	4-7	3
430	cruciata	cross-shaped	1	6-7	3
431	hybrida	hybrid	y. & p.	2½	...	3
432	Geranium sanguineum	blood-red	16	42	101	...	d. r.	1	...	3
433	Wallichianum	Dr. Wallich's	6
434	Gesneria albiflora	white-flowered	14	59	102	sPb	w.	1½	6-9	1 0
435	splendens	splendid	s.	1 0
436	Gœum chilense	Chilian	12	35	140	hP†	3
437	chilense flore-pleno	double-flowered	4
438	— atrosanguineum	dark red	d. r.	4
439	— superbum	superb	o. s.	4
440	Gilia nivâlis*	snow-white	5	25	132	hA	w.	1	6-8	3
441	tricolor*	three-coloured	3 col.	3
442	— albo-cœrulea*	white and blue	w. & b.	3
443	— rosca*	rose-coloured	ro.	3
444	Gladiolus Herbertianus	Herbert's	3	...	106	fPb	div.	2	7-10	1 0

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)			L.	Cl.	L.	O.	N.	O.	H. &	Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.														s. d.
445	<i>Gloxinia marginata</i>	bordered	14	59	102	sPb	bor.	1	6-9	1	0			1 0
446	superba	superb	v.	1 0
447	<i>Godetia bifrons</i>	two-fronted	8	25	125	hA	p. & cr.	1½	7-9	3				3
448	insignis	beautiful	spot.	3
449	<i>Lindleyana</i>	Dr. Lindley's	w. & r.	3
450	purpurea	purple	p.	3
451	<i>Romanzovii</i>	Romanzow's	l. p.	3
452	roseo-alba	rose and white	ro. & w.	3
453	rubicunda	blushing	cr.	3
454	tenella	slender	p.	3
455	vinosa	(wine-coloured)	cr. p.	3
456	<i>Willdenovii</i>	Willdenow's	p.	3
457	<i>Gomphrena llaeana</i>	llaage's	5	...	64	sA	o. & y.	2½	6
458	<i>Gossypium herbaceum</i>	herbaceous	16	48	117	...	y.	3	6
459	<i>Gammatheis gentianoides</i>	Gentian-like	5	30	88	hhA	s.	½	6-8	6			...	6
460	gentianoides ercea	orange	o.	6
461	<i>Guaiaacum verticale</i>	vertical	10	25	160	sS	b.	8	6-9	1	0		...	1 0
462	<i>Gymnopsis uniseriatis</i>	(single-seriated)	19	55	85	...	y.	3	8-10	1	0		...	1 0
463	<i>Gypsophila elegans</i>	elegant	10	26	147	hA	w. & p.	1	7-8	3			...	3
464	<i>Helianthemum guttatum</i>	spotted	13	25	82	...	y.	½	3
465	apenninum	Apennine	hP†	w.	...	5-7	3			...	3
466	mutabile	variable	r. & y.	3
467	roseum	rose-coloured	ro.	3
468	venustum	beautiful	r.	3
469	<i>Helichrysum (Elichrysium)</i>	(<i>Xeranthemum</i>) 30va	19	54	85	hhA	div.	2	7-9	6			...	6
470	bracteatum	— bracteated	y.	3
471	— albiflorum	— white-flowered	w.	3
472	— albo-flavum	— white and yellow	w. & y.	3
473	— album plenum	— double white	w.	3
474	— flavum plenum	— double yellow	y.	3
475	— purpureum	— purple	p.	3
476	— sulphureum	— sulphur	sul.	3
477	macranthum	large-flowered	ro.	3
478	— albo-roseum	— white and rose	w. & ro.	3
479	— aurcum	— golden	y.	3
480	— lilacinum	— lilac	li.	3
481	— nivale	— snow-white	w.	3
482	— purpureum	— purple	p.	3
483	— rubro-album	— red and white	r. & w.	3
484	monströsum	monstrous	y.	2½	3
485	— album	— white	w.	3
486	— roseum	— rose-coloured	ro.	3
487	— sulphureum	— sulphur	sul.	3
488	— violaceum	— violet	v.	3
489	robustum	robust	y.	2½	3
490	— fulvum	— tawny	bf.	3
491	— moricolor	— mulberry	mul.	3
492	— ochroleucum	— pale yellow	l. y.	3
493	— purpureum	— purple	p.	3
494	grandiflorum	large-flowered	gS	w.	...	6-9	6			...	6
495	speciosissimum	most showy	6	7-9	6			...	6
496	<i>Heliophila araboides*</i>	<i>Arabis</i> -like	15	61	89	hhA	b.	1	7-8	4			...	4
497	dissecta	disseeled	l. b.	4
498	trifida	trifid	p.	4
499	villösa	villous	b.	4
500	<i>Heliotropium grandiflorum</i>	large-flowered	5	25	74	gS	li.	2	6-8	4			...	4
501	peruvianum	Peruvian	4
502	— Louise Marie	Louisa Maria	p.	4
503	— Triomphe de Liège	Triumph of Liege	d. v.	4
504	— Voltaireanum	Voltaire's	v.	4
505	<i>Hibiscus africanus</i>	African	16	48	117	hA	y. & br.	...	7-8	3			...	3
506	calisurcus	(beautiful)	3
507	Cameröni	Cameron's	sS	ro.	3	7-9	6			...	6
508	fureatus	forked	hA	y. & p.	2	7-8	6			...	6
509	Jerroldianus	Mr. Jerrold's	sS	cr.	6	7-9	6			...	6
510	liliflorus	lily-flowered	gS	s.	2	...	6			...	6
511	Manihot	Manihot	y. & d.	6			...	6
512	mutabilis	variable	sS	w. & p.	6			...	6

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L.C.	L.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
							feet	s. d.	
513	<i>Hibiscus palustris</i>	marsh	16 48	117	hP	pk.	3	7-8	4
514	<i>palustris albus</i>	white	w.	4
515	<i>speciosus</i>	showy	gS	s.	2	...	4
516	<i>syriacus</i>	Syrian	hS	div.	6	...	4
517	<i>trionum</i>	(Bladder Kelmia)	hA	y. & d.	2	...	3
518	<i>Humea elegans</i>	elegant	19 53	85	hB+	r.	5	6-9	6
519	<i>Humulus Lupulus**</i>	(cultivated Hop)	22 40	155	hP	y.	15	...	3
520	<i>Hyacinthus orientalis</i>	oriental	6 25	110	hPb	div.	1	5-7	3
521	<i>Hymenolëpis Ehrenbergii</i>	Ehrenberg's	19 53	85	hhA	y.	1½	7-8	6
522	<i>Hymenoxis californica</i>	Californian	...	54	1	...	4
523	<i>Hypêricum elegans</i>	elegant	18 48	105	hP+	...	1½	...	4
524	<i>Iberis Tenoreana</i>	Tenore's	15 60	89	...	p.	1	6-8	4
525	<i>Incarvillea grandiflora**</i>	large-flowered	14 59	73	gS	o.	20	...	6
526	<i>Inopsidium acaule</i>	stemless	15 60	89	hP+	li.	½	...	6
527	<i>Ipomœa coccinea**</i>	scarlet	5 25	87	gA	s.	6	6-9	3
528	<i>bôna-nox**</i>	Good Night I	sA	w.	12	...	4
529	<i>ficifolia**</i>	fig-leaved (extra)	sPb+	p.	6	...	1 0
530	<i>grandiflora**</i>	large-flowered	sS	w.	12	...	1 0
531	<i>limbata**</i>	bordered	sA	s. & o.	10	...	2 6
532	<i>lutcola**</i>	yellowish	gA	y.	6	...	3
533	<i>polyanthes**</i>	many-flowered	sS	...	12	...	6
534	<i>Quamoclit**</i>	(thread-leaved)	gA	s.	6	...	4
535	<i>— alba**</i>	white	w.	4
536	<i>rûbro-cœrulca**</i>	(sky-blue)	sA	b.	12	...	1 0
537	<i>— albiflora**</i>	white	w.	1 0
538	<i>tyrianthina**</i>	tyrianthine	sPb+	p.	1 0
539	<i>sp. ex Texas**</i>	Texian species	gP+	p. & r.	1 0
540	<i>carolina**</i>	Carolina	hhA	p.	10	...	3
541	<i>Ferrandiniâna**</i>	Mr. Ferrand's	b.	6
542	<i>hederacea**</i>	ivy-leaved	3
543	<i>pendula**</i>	pendulous	pk.	3
544	<i>purpurea**</i>	purple, 20 var.	div.	1 0
545	<i>— Burridgei**</i>	Mr. Burridge's	cr.	3
546	<i>— Dicksoni**</i>	Mr. Dickson's	b.	3
547	<i>Nil**</i>	Nil	3
548	<i>sibirica**</i>	Siberian	flsh.	3
549	<i>triloba**</i>	three-lobed	b.	3
550	<i>Ipomopsis Beyrichii</i>	Beyrich's	...	132	fP	s.	2	7-9	4
551	<i>élegans</i>	elegant	1½	...	4
552	<i>picta</i>	painted	spot.	2	...	4
553	<i>— aurantiaca</i>	orange	o.	4
554	<i>— superba</i>	superb	s.	4
555	<i>Iris xiphoides</i>	(English Iris)	3	106	hPb	div.	6
556	<i>Isotoma axillaris</i>	axillary	5	114	gP+	b.	1½	6-8	4
557	<i>petrea</i>	rock	1 0
558	<i>Ixia maculata</i>	spotted	3	106	fPb	div.	1	5-7	6
559	<i>Jacquemontia violacea**</i>	violet	5	87	sPb	v.	8	6-9	1 0
560	<i>Kaulfussia amelloides*</i>	Amellus-like	19 54	85	hA	b.	½	7-8	3
561	<i>Kalmia latifolia</i> 3 var.	broad-leaved	10 25	161	hS	r.	8	5-7	6
562	<i>Kennedyia coccinea**</i>	scarlet	17 45	109	gS	s.	6	7-9	4
563	<i>Marryattæ**</i>	Mrs. Marryatt's	4
564	<i>monophylla**</i>	single-leaved	b.	4
565	<i>Lantana Sellowiana</i>	Mr. Sellow's	14 59	157	sS	ro.	1	...	4
566	<i>speciosa</i>	showy	s.	2	...	4
567	<i>Lasthenia californica</i>	Californian	19 54	85	hA	y.	1	7-8	3
568	<i>Lathyrus latifolius**</i>	(Everlasting Pea)	17 45	109	hP+	r.	8	7-9	3
569	<i>latifolius albus**</i>	white do.	w.	3
570	<i>— roseus**</i>	rose do.	ro.	4
571	<i>rotundifolius**</i>	round-leaved	p.	2	...	4
572	<i>Lavatera arborea</i>	tree-like	16 48	117	hB+	...	6	6-8	4
573	<i>Lebrctonia coccinea</i>	scarlet	sS	s.	10	...	1 0
574	<i>Leptósiphon androsæcus*</i>	Androsace-like	5 25	132	hA	div.	1½	7-8	3
575	<i>androsæcus albus*</i>	white	w.	3
576	<i>— lilacinus*</i>	lilac	li.	3
577	<i>densiflorus*</i>	thick-flowered	p.	1	...	3
578	<i>luteus*</i>	yellow (new)	y.	1 0
579	<i>Leucadendron argenteum</i>	(Silver Tree)	22 39	137	gS	...	8	8-9	1 0
580	<i>Leucopsidium arkansanum</i>	Arkansas	19 54	85	hhA	w.	1½	7-9	6

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)		L. Ci.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s.d.	
No.										
581	Leucopsidium texanum	Texian	19	54	85	hA	w. & v.	1½	7-9	6
582	Leycesteria formosa	beautiful	5	25	79	hS	w. & p.	4	6-8	4
583	Liättris elegans	elegant	19	53	85	hPb	p.	2	7-9	4
584	Ligularia speciosa	showy	...	56	...	hP	y.	4
585	Lilium speciosum	showy	6	25	110	hPb	div.	3	8-10	1 0
586	Limnanthes Douglassii	Douglas's	10	...	111	hA	w. & y.	¾	7-8	3
587	Douglasii alba	white	w.	3
588	— rosea	rose-coloured	ro.	3
589	grandiflora	large-flowered	w. & y.	3
590	Linaria alpina	alpine	14	59	144	hP†	b.	1	6-9	3
591	trionithophora	three-birds'-bearing	fP†	p.	6
592	Lindelhöfia spectabilis	showy	6
593	Linum flavum	yellow	5	30	112	fP†	y.	2	7-8	1 0
594	grandiflorum	large-flowered	hA	b.	1	7-9	3
595	— album	white	w.	3
596	— verum kermesinum	true (splendid)	hP†	cr.	2	6-9	1 0
597	Lewisii	Lewis's	b.	1½	...	6
598	perenne	perennial	hP†	p.	...	7-8	3
599	Lisianthus Russellianus	(Duke of Bedford's)	...	25	100	gA	b.	3	7-9	6
600	Littaea geminiflora	twin-flowered	6	...	65	gP	g.	15	6-9	6
601	Loasa aurantiaca**	orange	18	48	113	hhB†	o.	10	...	4
602	Herbertii**	Herbert's	s.	4
603	Pentlandia**	Mr. Pentland's	4
604	Lobelia cardinalis	cardinal	5	25	114	gP	...	3	6-8	6
605	débilis	slender	hhP†	b.	½	...	4
606	Erius*	Erinus	4
607	— alba*	— white	w.	4
608	— compacta*	— compact	b.	¾	...	6
609	— grandiflora*	— large-flowered	½	...	4
610	— marginata*	— bordered	w. & b.	6
611	formosa	beautiful	b.	¾	...	6
612	gracilis*	slender	hhA	...	½	...	3
613	— alba*	— white	w.	3
614	heterophylla	various-leaved	b.	1¼	...	3
615	inflata	inflated	l. b.	1½	...	4
616	Limburgensis	Limburg	r.	3	...	6
617	pinifolia	pine-leaved	gP†	v.	6
618	propinqua	related	hhA	p.	1	...	4
619	ramosa	branching	hhP†	d. b.	1¼	...	4
620	— alba	— white	w.	4
621	— rubra	— red	r.	4
622	Lophospermum scandens**	climbing	14	59	144	gS†	ro. p.	8	6-9	4
623	scandens Cliftoni**	Clifton's	ro.	6
624	— Hendersoni**	Henderson's	d. ro.	4
625	Rhodochiton**	Rhodochiton	p.	6
626	Lotus jacobaeus	St. James's Island	17	45	109	gA	blk.	1	...	6
627	Lupinus affinis	related	16	hA	b. & w.	...	7-9	3
628	bicolor	two-coloured	3
629	Hartwegii	Mr. Hartweg's	b. & pk.	1½	...	3
630	hirsutissimus	hairiest	r.	3
631	leptophyllus	slender-leaved	b. & cr.	2	...	3
632	Moritzianus	Moritz's	b.	3
633	mutabilis	changeable	va.	3	...	3
634	— Cruckshanksii	Cruckshanks's	3
635	nanus	dwarf	va. b.	1	...	3
636	pubescens	pubescent	b.	1½	...	3
637	subramosus	sub-branching	li. & p.	6
638	sp. ex California	Californian species	va.	6
639	albifrons	white-fronted	hS†	b.	4	...	6
640	arboreus	Tree-like	div.	6	...	3
641	élegans	elegant	hP†	v. & ro.	2	...	3
642	grandifolius	large-leaved	p.	2½	...	3
643	guatemalensis	Guatemala	d. v.	2	...	3
644	hybridus	hybrid	div.	3
645	— albifrons	— white	w.	3
646	— caeruleo-albus	— blue and white	b. & w.	3
647	— — flavus	— blue and yellow	b. & y.	3
648	— flavus	— yellow	y.	3

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
649	<i>Lapinus hybridus tricolor</i>	hybrid, three-color'd	16	45	109	hP†	3 col.	feet	s. d.	3
650	<i>hybridus purpureo-flavus</i>	— purple and yellow	p. & y.	2	7-9	3
651	— <i>purpureo-violaceus</i>	— purple and violet	p. & v.	3
652	— <i>roseus</i>	— rose-coloured	ro.	3
653	<i>læpidus</i>	pleasing	b. & pk.	3
654	<i>polyphyllus</i>	many-flowered	b.	3	...	3
655	— <i>albus</i>	— white	w.	3
656	— <i>albo-purpureus</i>	— white and purple	w. & p.	3
657	<i>Lychnis chalcédonica</i>	scarlet	10	30	147	hP	s.	2	7-8	3
658	<i>chalcédonica alba</i>	white	w.	3
659	<i>flos-Jovis</i>	Jove's Flower	cr.	1½	...	3
660	<i>fulgens</i>	glowing	s.	1	...	6
661	<i>Lýthrum Salicaria</i>	(superb rose)	11	25	115	...	ro.	1½	...	3
662	<i>Madaria elegans</i>	elegant	19	54	85	hhA	y.	2½	...	3
663	— <i>corymbosa</i>	bunch-flowered	6
664	<i>Málope trifida</i>	trifid	16	48	117	hA	r.	1½	...	3
665	<i>grandiflora</i>	large-flowered	3
666	— <i>alba</i>	white	w.	3
667	— <i>purpurea</i>	purple	p.	3
668	<i>Malva miniata</i>	vermilion	hS	ver.	3	...	3
669	— <i>manritiana zebrina</i>	striped	hA	stri.	2	...	3
670	<i>moschata</i>	musk	hP†	flsh.	3
671	<i>Mandevilla suaveolens**</i>	fragrant	5	25	68	gS	w.	30	6-9	6
672	<i>Martynia angularis</i>	angular	14	59	146	hhA	l. p.	2	7-9	4
673	<i>craniolaria</i>	skull-like (seeded)	w.	4
674	<i>fragrans (formosa)</i>	fragrant	d. p.	4
675	<i>lutea</i>	yellow	y.	4
676	<i>proboscidea</i>	proboscis-like	l. h.	4
677	<i>Maurandya Barclayana**</i>	Mr. Barclay's	144	gS	b. & w.	10	6-9	4
678	<i>Barclayana alba**</i>	white	w.	4
679	— <i>atropurpurea**</i>	dark purple	d. p.	4
680	<i>scimperflorens**</i>	ever-flowering	ro.	4
681	<i>Mesembryanthemum glabrum</i>	glabrous	12	27	96	hhA	y.	¾	7-8	4
682	<i>capitatum</i>	head-flowering	gS	p. y.	6
683	<i>pomeridianum</i>	afternoon	hhA	y.	...	7-8	4
684	<i>tricolor</i>	three-coloured	r.	½	...	4
685	— <i>album</i>	white	w.	4
686	<i>speciosum</i>	showy	gS	s.	¾	5-9	6
687	<i>Mimosa marginata</i>	bordered	23	51	109	gS	p.	3	6-9	4
688	<i>Mimulus cardinalis</i>	cardinal	14	59	144	hhP†	s.	2	...	3
689	<i>cardinalis crœcea</i>	orange	o.	4
690	— <i>atrosanguinea</i>	dark red	d. r.	4
691	— <i>Victoria</i>	Victoria's	s.	4
692	<i>floribundus</i>	bunch-flowered	y.	¾	...	4
693	<i>moschatus</i>	musk	¾	...	3
694	<i>luteus</i>	yellow	¾	...	3
695	— <i>atrococcineus</i>	dark scarlet	d. s.	4
696	— <i>atroroseus</i>	dark rose	d. ro.	4
697	— <i>Erfurtensis</i>	Erfurt	va.	4
698	— <i>formosus</i>	beautiful	4
699	— <i>kermesinus</i>	crimson	cr.	4
700	— <i>violaceus</i>	violet	v.	4
701	<i>Smithii</i>	Smith's	spot	4
702	<i>speciosus</i>	showy	y.	4
703	<i>Morina elegans</i>	elegant	2	25	92	gP†	ro.	3	6-8	6
704	<i>Morina elegans</i>	elegant	19	54	85	hhA	y.	1½	7-8	6
705	<i>Myosotis palustris</i>	(Forget-me-not)	5	25	74	hP†	b. & y.	¾	5-10	4
706	<i>palustris cærulea major</i>	large blue	b.	4
707	<i>alpestris</i>	alpine	½	...	4
708	— <i>alba</i>	white	w.	4
709	<i>azórica</i>	Azorean	d. b.	4
710	<i>Muraltia Heisteria</i>	Heister's	17	43	183	gS	p.	6	5-7	4
711	<i>Nemusa floribunda*</i>	bunch-flowered	14	59	144	hhA	w. & y.	½	7-8	3
712	<i>versicolor*</i>	various-coloured	va.	3
713	<i>Nemophila atomaria*</i>	dotted (white)	5	25	104	hA	w.	¾	6-8	3
714	<i>atomaria cœlestis*</i>	— (sky-blue)	b.	3
715	<i>aurita</i>	ear-leaved	p.	1½	...	3
716	— <i>oculata</i>	(purple-eyed)	w. & p.	3

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L.	Cl.	O.	N.	O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
717	Nemóphila discoidális*	(black-bordered)	5	25	104	hA	bor.	bor.	6-8	3	s. d.
718	insignis*	beautiful	b.	3	3
719	— alba*	white	w.	3	3
720	— grandiflora*	large-flowered	b.	3	3
721	— striata*	striped	stri.	3	3
722	maculata	large-spotted	w. & p.	3	3
723	Nerium Oleander, fl. pl.	double-flowered	68	gS	r.	8	6-9	6	1 0
724	Nierembergia grácilis	slender	5	45	148	fP†	w. & li.	3	3
725	Nigella hispánica	Spanish	13	30	138	hA	b.	1	7-8	3	3
726	Nolana paradoxa	paradoxical	5	25	148	...	b. w. y.	3	3
727	atriplexifolia	Atriplex-leaved	3	3
728	— alba grandiflora	large-flowered white	w.	3	3
729	prostrata	prostrate	b.	trai	...	3	3
730	Nouca rosea	rose-coloured	74	...	ro.	1½	...	3	3
731	Nuphar lutea	(Water-Lily)	13	...	122	hP	y.	trai	6-9	6	1 0
732	Nycteria fragrans	Fragrant	14	59	144	fS†	w. & y.	...	7-10	4	4
733	selaginoides	Selago-flowered	pk.	4	4
734	villosa	villous	w.	4	4
735	Nymphaea alba	white (Water-Lily)	13	25	122	hP	w.	trai	6-9	6	1 0
736	cærulea	blue do.	sP	b.	...	7-8	3	3
737	Cnethera acanlis	stemless	8	...	125	hP†	w.	3	3
738	Drummondii	Drummond's	fP†	y.	1	...	3	3
739	fruticosa	shrubby	hS	...	3	...	3	3
740	macrocarpa	large-fruited	hhP	...	2	...	6	6
741	odorata	sweet-scented	hP†	...	1½	...	3	3
742	rosea	rose-coloured	ro.	3	3
743	Selloviana	Mr. Sellow's	y.	3	3
744	speciosa	showy	hhA	w.	3	3
745	taraxacifolia	Taraxacum-leaved	hP†	...	½	...	3	3
746	tetraptera	four-winged	hA	...	1	...	3	3
747	Ononis rotundifolia	round-leaved	16	45	109	hS	pk.	2	5-7	4	4
748	Oxalis rosea	rose-coloured	10	30	126	hhPb	ro.	1	7-8	6	6
749	rubella	pale red	3	3
750	Oxyura chrysanthemoides	Chrysanthemum-like	19	54	85	hA	y. & w.	3	3
751	Pæonia Moutan	(Tree Pæony, & var.)	13	26	138	hhS	div.	3	5-8	1 0	1 0
752	Papaver alpinum	alpine (Poppy)	...	25	127	hP†	w.	...	7-9	3	3
753	amœnum	lovely	hA	s. & w.	...	7-8	3	3
754	caucasicum	Caucasian	r.	1½	7-9	3	3
755	crœcum	saffron	hP†	o.	1½	...	3	3
756	involutatum	involute	s.	3	3
757	orientale	Oriental	r.	2	...	3	3
758	pulcherrimum	most beautiful	s.	3	...	4	4
759	Paspalum elegans	elegant	3	26	103	...	ap.	1½	7-8	3	3
760	Passiflora alba**	white	16	40	128	gS	w.	20	6-9	6	6
761	adiantifolia**	Maidenhair-leaved	sS	o.	6	6
762	cærulea**	blue	hS	b.	6	6
763	edulis**	edible	sS	w.	6	6
764	Pelargonium hybridum	hybrid (Geranium)	...	42	101	gS	div.	3	...	1 0	1 0
765	hybridum novum	(new Fanev do.)	s.	6	6
766	zonale	(scarlet)	2	...	1 0	1 0
767	— globosum	globe-flowered	6	6
768	— hederifolium	ivy-leaved	1	...	6	6
769	— nanum	dwarf (Tom Thumb)	6	6
770	— roseum	rose-coloured	ro.	1½	...	6	6
771	Pentstemon campanulatum	bell-flowered	14	59	144	hP†	b.	2	7-9	3	3
772	atropurpureum	dark purple	d. p.	3	3
773	digitalis	(Digitalis-like)	w.	3	3
774	Hartwegii	Mr. Hartweg's	r.	3	3
775	— coccineum	scarlet	s.	3	3
776	Murrayanum	Mr. Murray's	1 0	1 0
777	ovatum	ovate	b.	1½	...	3	3
778	pulchellum, pl. var.	pretty (various)	div.	2	...	3	3
779	roseum	rose-coloured	ro.	3	3
780	speciosum	showy	b.	6	6
781	Petunia nyctaginiflora	(sweet-scented)	5	25	148	hhP†	w.	...	6-9	3	3
782	phœnicea	purple	p.	3	3
783	— formosa	beautiful	d. p.	4	4
784	— flore-pleno	(Glory of Thuringia)	r.	1 0	1 0

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.			L.	Cl.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
785	<i>Petunia phœn. grandiflora</i>	large-flowered	5	25	148	hh	P†	p.					feet		s. d.
786	<i>phœn. grandiflora alba</i>	— white	w.					2	6-9	4
787	— <i>atropurpurea</i>	— dark purple	d. p.					4
788	— <i>rosea</i>	rose-coloured	ro.					4
789	— <i>striata</i>	striped	stri.					4
790	— <i>viridicincta</i>	green-bordered	div.					1 0
791	<i>Phacelia conspicua</i>	conspicuous	104	hA	b.	7-8	3
792	<i>Phlox Drummondii</i>	<i>Drummond's</i>	132	hhA	div.	1½					7-10	6	
793	<i>Drummondii alba</i>	white	w.	6	
794	— <i>atrococcinea</i>	dark scarlet	s.	6	
795	— <i>Leopoldina</i>	(<i>King of the Belgians</i>)	cr. & w.	6	
796	— <i>oculata alba</i>	white-eyed	p. & w.	6	
797	— <i>purpurea</i>	purple-eyed	w. & p.	6	
798	— <i>zinnabarina</i>	vermilion	ver.	1 0	
799	<i>decussata</i> , var.	cross-shaped	hP†	div.	3					...	1 0	
800	<i>Pimelia linifolia</i>	<i>Linum-leaved</i>	2	...	151	gS	w.	3					5-7	6	
801	<i>lanata</i>	woolly	6					...	6	
802	<i>Platystemon californicus</i>	<i>Californian</i>	13	...	127	hA	y.	1					6-9	6	
803	<i>Podolepis chrysantha*</i>	yellow-flowered	19	54	85	hhA					7-8	3	
804	<i>gracilis*</i>	slender	pk.	3	
805	— <i>alba*</i>	— white	w.	3	
806	<i>rugata*</i>	wrinkled (fine)	l. y.	3	
807	<i>Podothea capitata</i>	head-flowered	y.	6	
808	<i>Poinciana Gilliesii</i>	<i>Mr. Gillies's</i>	10	25	109	gS	r. & y.	...					10	6-9	6
809	<i>pulcherrima</i>	most beautiful	6	
810	<i>Portulaca Gilliesii</i>	<i>Mr. Gillies's</i>	11	...	135	hhA	ro. p.	½					6-8	4	
811	<i>grandiflora</i>	large-flowered	y. & p.	¼					...	4	
812	<i>Thellusoni</i>	<i>Mr. Thelluson's</i>	cr.	¼					...	4	
813	— <i>aurantiaca</i>	orange	o.	4	
814	— <i>coccinea</i>	scarlet	s.	4	
815	— <i>marginata</i>	bordered	bor.	4	
816	— <i>rosea</i>	rose-coloured	ro.	4	
817	— <i>striatiflora</i>	striped-flowered	stri.	4	
818	— <i>sulphurea</i>	sulphur	sul.	4	
819	— <i>Thorburni</i>	<i>Mr. Thorburn's</i>	y.	4	
820	<i>splendens</i>	splendid	ro. p.	4	
821	<i>Potentilla formosa</i>	beautiful	12	35	140	hP†	p.	1					...	3	
822	<i>atrosanguinea</i>	dark red	d. r.	3	
823	— <i>semiplena</i>	semi-double	6	
824	<i>crœca</i>	orange	o.	3	
825	<i>Fintelmanni</i>	<i>Fintelmann's</i>	s.	6	
826	<i>grandiflora</i>	large-flowered	l. y.	3	
827	<i>insignis</i>	beautiful	y.	6	
828	<i>marginata</i>	bordered	bor.	6	
829	<i>Oliveriana</i>	<i>Mr. Oliver's</i>	va.	6	
830	<i>pulcherrima</i>	most beautiful	y.	3	
831	<i>rupestris</i>	rock	w.	3	
832	<i>Thomasi</i>	<i>Thomas's</i>	y.	3	
833	<i>Primula cortusoides</i>	<i>Cortusa-like</i>	5	25	136	hP†	p.	½					6-8	6	
834	<i>denticulata</i>	denticulated	li.	½					...	6	
835	<i>farinosa</i>	mealy (leaved)	r.	6	
836	<i>sincensis (prænitens)</i>	<i>Chinese</i>	gP†	li.	1					10-7	6	
837	— <i>alba</i>	white	w.	6	
838	— <i>fimbriata</i>	fringed (various)	div.	1 0	
839	— <i>alba</i>	white fringed	w.	1 0	
840	— <i>rosea</i>	rose do.	ro.	1 0	
841	— <i>variegata</i>	variegated	va.	1 0	
842	<i>Pultenæa daphnoides</i>	<i>Daphne-like</i>	10	...	109	gS	y.	2					6-8	6	
843	<i>Ranunculus asiaticus</i>	<i>Asiatic</i>	13	35	138	hPb	div.	1					6-7	6	
844	<i>Rhodanthe Manglesi</i>	<i>Capt. Mangles's</i>	19	54	85	hhA	ro.	...					7-8	6	
845	<i>Rhododendron alta-clarens</i>	<i>Highetere</i>	10	25	94	hS	s.	15					5-7	6	
846	<i>arborescens pictum</i>	painted	w. & ro.	6	
847	<i>catawiense</i>	<i>Catumba</i>	li.	4					4-8	6	
848	— <i>roseum</i>	— rose-coloured	ro.	...					4-6	6	
849	— <i>Russellianum</i>	— <i>Russell's</i>	s.	6	
850	— <i>tigrinum</i>	— tiger-spotted	spot.	6	
851	<i>caucasicum</i>	<i>Caucasian</i>	p.	2					7-8	6	
852	— <i>Nobleanum</i>	<i>Mr. Noble's</i>	cr.	...					3-5	6	

<i>A— indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)</i>			Cl.	L.	O.	N.	O.	H.	&	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
No.													feet		s. d.
853	Rhododendron c. maculatum	spotted	10	25	94	hS	spot	2	3-5	6					
854	— multumaculatum	many-spotted	6					
855	— maximum	tallest	hT	pink	20	1-8	6					
856	— Standishii	Standish's	ro.	15	5-7	6					
857	— Victoria	Victoria	cr.	6					
858	— pictum	painted	pai.	6					
859	Ponticum Lowii	Low's	hS	w.	4	...	6					
860	— atropurpureum	dark purple	p.	6					
861	— elegans	elegant	li.	6					
862	Towardii	Toward's	l. ro.	6	...	6					
863	Victoria regina	Queen Victoria	w. & ro.	6					
864	Roëlla ciliata	ciliated	5	...	77	gS	p. & w.	1	6-10	6					
865	Rosa, pl. sp. et var.	(50 finest varieties)	12	35	140	hS	div.	div.	...	5	0				
866	Rudbeckia fulgida	glowing	19	55	85	hP+	y.	3	7-8	6					
867	Sabbatia campestris	(beautiful)	14	59	144	hhA	ro. & y.	1	...	1	0				
868	Salpiglossis sinuata	sinuated	148	hbB+	div.	1 1/2	7-9	4					
869	sinuata alba	new white	w.	4					
870	— atropurpurea	dark purple	d. p.	4					
871	— azurea maxima	large blue	b.	4					
872	— coccinea	scarlet	s.	1	0				
873	— sulphurea	sulphur	sul.	4					
874	Salvia bicolor	two-coloured	2	25	108	hP+	b. & w.	2	...	3					
875	coccinea	scarlet	s.	6					
876	glutinosa	glutinous	y.	6					
877	patens	(superb blue)	b.	3	...	6					
878	— alba	white	w.	6					
879	splendens	splendid	s.	6					
880	Sanvitalia procumbens	procumbent	19	54	85	hhA	y.	tra	7-8	3					
881	Saponaria calabrica*	Calabrian	10	26	147	hP+	A	1/2	6-9	3					
882	silenoides	Silene-like	flsh.	3					
883	Saxifraga hypnoides	Moss-like	143	...	w.	1	5-7	3					
884	Schizanthus Grahami	Mr. Graham's	14	59	144	hhA	s. & o.	2	7-8	4					
885	retusus	(broad-leaved)	r. & o.	4					
886	— albus	white	w. & y.	4					
887	gracilis ex Chili	(new Chilean species)	hA	v.	1 1/2	...	4					
888	humilis*	dwarf	li. & cr.	3/4	...	3					
889	pinnatus	pinnated	va.	1 1/2	...	3					
890	— Priestii	Priest's	w.	3					
891	— pulchellus	pretty	va.	3					
892	— venustus	beautiful	p.	3					
893	porrigens	spreading	va.	3					
894	Schizopetalon Walkeri*	Walker's	15	61	89	...	w.	3/4	...	6					
895	Scyphanthus elegans**	elegant	18	48	113	gP+	y.	4	7-9	6					
896	Scutellaria alpina	alpine	14	58	108	hP+	b. & w.	1 1/2	6-9	3					
897	Impatiens	wolf	y. & w.	1	...	3					
898	Sedum caruleum	blue	10	30	88	hA	b.	1	7-8	3					
899	Senecio japonica	Japan	19	54	85	hP+	y.	1	...	6					
900	Silene compacta	compact	10	28	147	hB+	pk.	1	7-8	3					
901	orientalis	oriental	hP+	li.	1 1/2	...	4					
902	ornata	ornamented	p.	4					
903	— alba	white do.	w.	4					
904	pendula	pendulous	hA	ro.	3					
905	regia	royal	hP	s.	4	...	3					
906	Schafta	Schafta	ro.	1/2	...	3					
907	Solanum citrullifolium	Citrullus-leaved	5	25	148	hhA	b.	2	...	6					
908	Sollya angustifolia**	narrow-leaved	130	gS	b.	6	6-9	6					
909	Sparaxis tricolor, &c.	three-coloured, &c.	3	...	106	fPb	div.	1	6-7	6					
910	Sphenogyne speciosa	showy	19	55	85	hhA	y.	...	7-8	3					
911	Stachys coccinea	scarlet	14	58	108	hP+	s.	2	6-9	4					
912	— purpurea	purple	p.	4					
913	— speciosa	showy	s.	4					
914	Statie formosa	beautiful	5	30	131	hP+	pk.	1	7-8	4					
915	Stephanotis floribunda**	bunch-flowered	...	25	69	gS	w.	20	6-9	1	0				
916	Stevia purpurea	purple	19	55	85	hP+	p.	1	...	3					
917	Stipa pennata	(Feather Grass)	3	26	103	...	ap.	2	...	3					
918	Streptocarpus Rexii	Rex's	2	25	73	gP+	b.	1 1/2	6-8	4					
919	Sutherlandia frutescens	shrubby	17	45	109	hS	s.	3	7-8	3					
920	grandiflora	large-flowered	3					

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		Li.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
921	Tacsônia pinnatistípula**	16	40	128	gS	ro.	15	6-9	s. d. 6
922	Tagetes lucida	19	54	85	hhA	y.	1	7-8	3
923	signata	o.	2	...	3
924	Telèkia speciosa	hP+	y.	4	...	3
925	Tellima grandiflora	10	26	143	...	pk.	1	4-6	6
926	Tithonia helianthiflora	19	55	85	sP	o.	10	6-9	6
927	Thunbergia alata**	14	59	63	gB+	bff. & d.	6	6-9	4
928	alata alba**	w. & d.	4
929	— aurantiaca**	o. & d.	4
930	— Bakéji**	w.	4
931	— mesoleuca**	o. & w.	4
932	— sulphurea**	sul.	4
933	Tigridia pavonia	16	38	106	fPb	s. & y.	1	7-9	3
934	sp. texensis	b.	1	...	6
935	Torènia scabra	14	59	144	gP+	...	3	6-7	4
936	Tracheliolum cæruleum	5	25	77	hhB+	...	2	7-8	3
937	cæruleum album	w.	3
938	Trifolium elegans	17	45	109	hP+	l. r.	1	...	3
939	Tropæolum azureum**	8	25	152	gPb	b.	4	7-9	1 0
940	brachyceras**	y.	6
941	Ileynianum**	y. & s.	1 0
942	Jarrattij**	s. & y.	6
943	Lobbiannum**	gP+	1 0
944	— elegans**	o. s.	1 0
945	— pulchellum**	1 0
946	Moritzianum**	s. & y.	1 0
947	— ornatum**	tip'd	1 0
948	pentaphyllum**	gPb	o. & y.	6
949	varictas nova**	gP+	spot.	1 0
950	minus	hA	y.	1	6-9	3
951	minus coccineum	s.	6
952	peregrinum**	hhA	y.	8	7-9	3
953	Scheuermannianum**	hA	tip'd	3	...	1 0
954	Tweedia cærulea	5	26	69	hP	b.	4	...	3
955	Venidium calendulaceum	19	56	85	hhA	d. y.	1	7-9	6
956	Verbena Aubletia	14	59	157	hhB+	p.	...	6-9	3
957	Drummondii	li.	3
958	pulchella	p.	2	...	3
959	pulcherrima	d. r.	1	...	3
960	venosa	ro.	3
961	var. eximia	div.	1 0
962	Veronica elegans	2	25	144	hP+	pk.	1 1/2	...	3
963	Vinca rosea	5	...	68	sS	ro.	1	3-9	6
964	roseo-alba	w.	6
965	Viola odorata	158	hP+	v. & w.	...	5-7	6
966	odorata semperflorens	v.	...	5-10	6
967	persicifolia	cream	...	5-8	3
968	Viscaria cœli-rosa	10	30	147	hA	flsh.	...	7-8	3
969	oculata	r.	3
970	— atropurpurea	p.	3
971	Vittadinia lobata	19	54	85	hhA	p. li.	...	7-8	6
972	Waitzia brachyrhynca	w.?	...	7-9	6
973	Yucca aloifolia	6	25	110	gS	w. & g.	3	8-10	6
974	Zauschneria californica	8	...	125	fS	s.	1 1/2	7-9	6
975	Zinnia elegans	19	54	85	hhA	v.	2	...	4
976	— elegans alba	w.	4
977	— aurantiaca	o.	4
978	— coccinea	s.	4
979	— major	y.	4
980	— flava	cr.	4
981	— kermesina	li.	4
982	— lilacina	ver.	4
983	— miniata	p.	4
984	— purpurea	ro.	4
985	— rosea	d. r.	4
986	— sanguinea	l. y.	4
987	— straminea	stri.	4
988	— striatiflora	4

FLOWERS HAVING POPULAR NAMES.

The following plants are best known by the Popular Names, but the Scientific Name being necessary to show the genus to which they belong, it is also given. Such Popular Names as *Convolvulus Minor*, *Flos Adonis*, *White Candytuft*, *Columbine*, &c., have little or no affinity with the Latin, and are not to be considered as translations.

A — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
989	Aster, Chinese, mixed	<i>Aster chinensis</i> , pl. var.	19	54	85	hhA	div.	2	8-10	3
990	German, quilled, 20 var.	<i>chinensis fistulosus</i>	6
991	— Globe, extra	— <i>globularis</i>	6
992	French Perfection	— <i>incomparabilis</i>	1 0
993	Pæony-flowered	— <i>pæoniæflorus</i>	1 0
994	Pyramidal	— <i>pyramidalis</i>	6
995	— Bouquet	— <i>multiflorus</i>	1½	7-9	6
996	very dwarf	— <i>nanissimus</i>	1	...	6
997	Auricula, fine Alpine	<i>Primula Auricula</i>	5	25	136	hP	...	½	5-7	6
998	finest prize	— — —	fP	2 6
999	Balsam, fine double, m.	<i>Balsamina hortensis</i> , fl. pl.	71	tA	...	2	6-9	6
1000	double scarlet	<i>hortensis coccinea</i>	s.	3
1001	— spotted, 6 var.	— <i>punctata</i>	spot.	6
1002	— striped, 6 var.	— <i>striata</i>	stri.	6
1003	Camellia-flowered	— <i>Camelliaeflora</i>	div.	6
1004	Rose-flowered	— <i>roseiflora</i>	6
1005	— purple	— <i>purpurea</i>	p.	3
1006	— new orange	— <i>cræca nova</i>	o.	1 0
1007	— new sulphur	— <i>sulphurea</i>	sul.	6
1008	very dwarf	— <i>nanissima</i>	div.	1	...	6
1009	Broom, ornamental	<i>Cytisus</i> , pl. sp.	16	45	109	hP	w. & y.	2	...	3
1010	Candytuft, fragrant	<i>Iberis odorata</i>	15	60	89	hA	w.	1	...	3
1011	purple	— <i>unbellata</i>	p.	3
1012	new crimson	— <i>kermesina</i>	cr.	3
1013	Rocket	— <i>coronaria</i>	w.	3
1014	rose	— <i>rosea</i>	ro.	3
1015	two-coloured	— <i>bicolor</i>	w. & p.	3
1016	white	— <i>amara</i>	w.	3
1017	Cauterbury Bell, pur.	<i>Campánula Medium</i>	5	25	77	hP†	p.	2½	...	3
1018	white	— <i>Medium alba</i>	w.	3
1019	double blue	— <i>flore-pleno</i>	b.	3
1020	— lilac	— <i>lilacina</i>	li.	3
1021	— white	— <i>alba</i>	w.	3
1022	Capsicum, fine mixed	<i>Capsicum annum</i> , pl. var.	148	tA	f. va.	2	...	6
1023	Carnation, double	<i>Dianthus Caryophyllus</i>	10	26	147	hP	div.	1 0
1024	double, finest	— <i>Caryophyllus splendens</i>	hhP	2 6
1025	Catchfly, Lobel's red	<i>Silene Armeria</i>	hA	r.	1	6-7	3
1026	white	— <i>Armeria alba</i>	w.	3
1027	Chrysanthemum trico.	<i>Chrysanth. carinatum</i>	19	54	85	...	3 col.	...	6-9	3
1028	tricolor, yellow	— <i>carinatum flavum</i>	y.	3
1029	showy	— <i>speciosum</i>	3
1030	white and yellow	— <i>coronarium</i>	y. & w.	2½	...	3
1031	Clary, purple and red	<i>Salvia Hornumum</i> , 2 var.	2	25	108	...	p. & r.	1	...	3
1032	Cockscomb, dwarf	— <i>Celisia cristata</i> , nana	5	...	64	tA	cr.	...	7-9	4
1033	tall scarlet	— <i>cristata elata coccinea</i>	s.	2	...	4
1034	Columbine, double	<i>Aquilegia vulgaris</i> , fl. pl.	13	30	138	hP†	div.	...	6-8	3
1035	Convolvulus major**	<i>Ipomæa purpurea</i>	5	25	87	hhA	...	10	7-10	3
1036	major, spleu., 20 v.**	— <i>purpurea splendida</i>	1 0
1037	— blue**	— <i>cærulea</i>	b.	3
1038	— crimson**	— <i>kermesina</i>	cr.	3
1039	— dark purple**	— <i>atropurpurea</i>	d. p.	3
1040	— rose**	— <i>rosea</i>	ro.	3
1041	— striped**	— <i>striata</i>	stri.	3
1042	— spotted**	— <i>punctata</i>	spot.	3
1043	— white**	— <i>alba</i>	w.	3
1044	Convolvulus minor	<i>Convolvulus tricolor</i>	hA	b.	1	6-9	3
1045	minor azure	— <i>tricolor azureus</i>	d. b.	3
1046	— dark purple	— <i>atropurpureus</i>	d. p.	3
1047	— large-flowered	— <i>grandiflorus</i>	p.	3
1048	— striped	— <i>striatus</i>	stri.	3

A — is employed to indicate varieties.		L.	Cl.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of	Flow.	Price.
No.												feet			s. d.
1049	Convolvulus m. violet	<i>Convolvulus tricolor v.</i>	5	25	87	hA	v.	v.	...	1	6-8	...	3
1050	minor, white	<i>tricolor albus</i>	w.	3
1051	— new double, 3 var.	<i>— flore-pleno novus</i>	div.	1 0
1052	Cowslip, fine mixed	<i>Primula elatior, pl. var.</i>	136	hP+	3-7	...	3
1053	Cyanus (Corn Bottle)	<i>Centaurea Cyanus</i>	19	55	85	hA	1	6-9	...	3
1054	new striped	<i>Cyanus striatus</i>	stri.	3
1055	sky-blue	<i>— caelestinus</i>	b.	3
1056	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	148	tA	p. fr.	2	7-9	...	3
1057	white	<i>ovigerum album</i>	w. fr.	3
1058	Everlasting flowers	<i>Heliehrisum &c. &c.</i>	19	54	85	hA	div.	6
1059	Flos Adonis	<i>Adonis aestivalis</i>	13	35	138	...	s.	1	7-8	...	3
1060	Fraxinella, white	<i>Dietamnus Fraxinella</i>	10	25	141	hP	w.	3	6-8	...	3
1061	red	<i>Fraxinella rubra</i>	r.	3
1062	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	109	hB+	s.	2	7-9	...	3
1063	white	<i>coronarium album</i>	w.	3
1064	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	64	gA	p.	2½	3
1065	white	<i>globosa alba</i>	w.	3
1066	orange and yellow	<i>Haageana</i>	o. & y.	6
1067	Gourd, Bottle	<i>Cucurbita lagenaria</i>	21	49	90	fA	w.	6
1068	Ilcereules' Club	<i>lagenaria elavata</i>	6
1069	orange	<i>aurantia</i>	y.	3
1070	Pear	<i>ovifera pyriformis</i>	3
1071	Thurban	<i>var. liareiformis</i>	3
1072	Hawkweed, red	<i>Crèpis rubra</i>	19	53	85	hA	r.	1	7-8	...	3
1073	white	<i>rubra alba</i>	w.	3
1074	yellow	<i>Tolpis barbata</i>	y.	3
1075	silvery	<i>barbata argentea</i>	sil.	3
1076	Heartsease (Pansy), ex.	<i>Viola tricolor hybrida</i>	5	25	158	hP+	div.	6-10	1	...	6
1077	new bronze	<i>tricolor xerampelina</i>	br. r.	6
1078	Hollyhoek, Chinese, m.	<i>Althaea chinensis</i>	16	48	117	hA	div.	2	7-9	...	6
1079	rose-coloured	<i>rosea</i>	hP	ro.	7	6-9	...	3
1080	black	<i>— nigra</i>	blk.	3
1081	crimson	<i>— kermesina</i>	cr.	3
1082	purple	<i>— purpurea</i>	p.	3
1083	red	<i>— rubra</i>	r.	3
1084	white	<i>— alba</i>	w.	3
1085	yellow	<i>— lutea</i>	y.	3
1086	Honeysuckle, various	<i>Caprifolium, 6 sp.**</i>	5	25	79	hS	div.	8	6
1087	Honesty, pur. & white	<i>Lunaria biennis</i>	15	60	89	hB+	p. & w.	3	5-7	...	3
1088	Honey-flower, large	<i>Cerinthe major</i>	5	25	74	hA	y. & p.	2	7-8	...	3
1089	Horn-Poppy, m.	<i>Glaucium, pl. sp.</i>	13	...	127	...	div.	3
1090	scarlet	<i>phœniceum</i>	s.	3
1091	Ice Plant	<i>Mesembryan. crystallinum</i>	12	27	96	hhA	w.	3
1092	Jacobæa, double, m.	<i>Senecio elegans, fl. pl.</i>	19	54	85	hA	div.	1	7-9	...	3
1093	double crimson	<i>elegans kermesina</i>	cr.	3
1094	— purple	<i>— purpurea</i>	p.	3
1095	— red	<i>— rubra</i>	r.	3
1096	— rose	<i>— rosea</i>	ro.	3
1097	— violet	<i>— violacea</i>	v.	3
1098	— white	<i>— alba</i>	w.	3
1099	Larkspur, dwarf *	<i>Delphinium Ajacis humile</i>	13	28	138	...	div.	7-8	3
1100	dwarf, German *	<i>Ajacis humile, var.</i>	6
1101	— blue	<i>— humile caeruleum</i>	b.	3
1102	— rose	<i>— roseum</i>	ro.	3
1103	— white	<i>— album</i>	w.	3
1104	Hyacinth-flowered *	<i>— hyacinthoides</i>	div.	6
1105	new striped	<i>— striatum</i>	stri.	1	6
1106	Taller pyramidal	<i>— elatior pyramidal</i>	div.	1½	6
1107	— blue	<i>— caelestinum</i>	b.	3
1108	— rose	<i>— roseum</i>	ro.	3
1109	— white	<i>— album</i>	w.	3
1110	German Branching	<i>Consolida</i>	div.	2	6
1111	— blue	<i>— caeruleum</i>	b.	3
1112	— rose	<i>— roseum</i>	ro.	3
1113	Lavatera, red	<i>Lavatera trimestris</i>	16	48	117	3	7-8	...	3
1114	white	<i>trimestris alba</i>	w.	3
1115	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	64	...	r.	3
1116	Lupines, Dutch blue	<i>Lupinus canaliculatus</i>	16	45	109	...	b.	2	6-9	...	3

A — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1117	Lupines, large blue	<i>Lupinus hirsutus</i>	16	45	109	hA	b.	2½	6-9	3
1118	— rose	<i>pilosus</i>	ro.	3
1119	— small blue	<i>angustifolius</i>	b.	2	...	3
1120	— yellow	<i>luteus</i>	y.	1½	...	3
1121	— straw-coloured	— <i>stramineus</i>	sul.	3
1122	— white	<i>albus</i>	w.	2	...	3
1123	Marigold, French, m.	<i>Tagetes pátula</i> , pl. var.	19	54	85	hhA	div.	1½	7-10	3
1124	— French, dwarf	<i>pátula nana</i>	d. br.	1	...	3
1125	— superb striped	— <i>striata superba</i>	stri.	1½	...	6
1126	— unique	— <i>simpliciflora striata</i>	3
1127	— very dwarf*	— <i>nanissima</i>	br.	¾	...	6
1128	— — yellow*	— <i>flava nana</i>	y.	6
1129	African, m.	<i>erecta</i> , pl. var.	o. & y.	2½	...	3
1130	— orange	— <i>aurantiaca</i>	o.	3
1131	— lemon	— <i>citrina</i>	y.	3
1132	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w. & p.	1	7-9	3
1133	— hybrid	<i>hybrida</i>	w.	3
1134	— superb garden	<i>officinalis superba</i>	o.	3
1135	Marvel of Peru	<i>Mirabilis Jalapa</i>	3	25	121	fPb†	div.	2	6-8	3
1136	— gold-striped	<i>Jalapa luteo-striata</i>	y. str.	3
1137	— red-striped	— <i>rubro-striata</i>	r. str.	3
1138	— red	— <i>rubra</i>	r.	3
1139	— superb, new	— <i>superba nana</i>	va.	6
1140	— white	— <i>alba</i>	w.	3
1141	— yellow	— <i>lutea</i>	y.	3
1142	— sweet-scented	<i>longiflora</i>	w.	3
1143	— purple	— <i>purpurea</i>	p.	3
1144	Mignonette, per oz. 6d.	<i>Reseda odorata</i>	11	28	139	hA	bff.	1	6-9	3
1145	— new, large-flowered	<i>odorata major</i>	1½	...	4
1146	Nasturtious, tall**	<i>Tropaeolum majus</i>	8	25	152	...	o.	6	...	3
1147	— tall carmine**	<i>majus miniatum</i>	car.	3
1148	— — crimson**	— <i>kermesinum</i>	cr.	3
1149	— — Shilling's**	— <i>Shillingii</i>	spot.	3
1150	— dwarf	— <i>nannum dubium</i>	s.	1½	...	3
1151	— three-spotted	<i>trimaculatum</i>	3 spot.	3
1152	Palma Christi, major	<i>Ricinus communis, major</i>	21	49	95	hhA	bff.	6	7-9	3
1153	Pea, Lord Anson's**	<i>Lathyrus magellanicus</i>	17	45	109	hP†	b.	3
1154	— Tangier**	<i>tingitanus</i>	hA	s.	4	...	3
1155	— — striped**	— <i>striatus</i>	stri.	5
1156	Pea, Sweet** lb. 3s.	<i>Lathyrus odoratus, pl. var.</i>	div.	6	6-9	3
1157	— black**	<i>odoratus, niger</i>	blk.	3
1158	— painted Lady**	— <i>picus</i>	r. & w.	3
1159	— purple**	— <i>purpureus</i>	p.	3
1160	— — striped**	— <i>striatus</i>	p. & w.	3
1161	— scarlet**	— <i>coccineus</i>	s.	3
1162	— — striped**	— <i>striatus</i>	s. str.	3
1163	— white**	— <i>albus</i>	w.	3
1164	Persicaria, red	<i>Polygonum orientale</i>	8	28	134	...	r.	4	...	3
1165	— white	<i>orientale album</i>	w.	3
1166	Picotee, double	<i>Dianthus Caryophyllus, v.</i>	10	26	147	hP	div.	2	...	10
1167	— finest double	<i>Car. punctatus, fl. pl.</i>	hhP	26
1168	Polyanthus, fine	<i>Primula elatior polyantha</i>	5	25	136	hP†	...	¾	5-7	6
1169	— extra fine	<i>polyantha eximia</i>	10
1170	Poppy, double	<i>Papaver somniferum, fl. pl.</i>	13	...	127	hA	...	2	7-8	3
1171	— double black	<i>somniferum niger</i>	blk.	3
1172	— — scarlet	— <i>coccineum</i>	s.	3
1173	— — striped	— <i>striatum</i>	str.	3
1174	— — white	— <i>album</i>	w.	3
1175	— — new hybrid	— <i>hybridum novum</i>	div.	4
1176	— — Paeony	— <i>paeoniiflorum</i>	4
1177	— — superb	— <i>superbum</i>	4
1178	1175 to 1177, mixed	— <i>novum, pl. var.</i>	6
1179	— dwarf, French, m*	<i>Rheas. pl. var.</i>	1	...	3
1180	dwarf Carnation	<i>Rheas Caryophyllus</i>	3
1181	— — scarlet	— <i>coccineum</i>	s.	3
1182	Primrose, yellow	<i>Primula vulgaris</i>	5	...	136	hP†	y.	¾	5-7	3
1183	Prince's Feather, large	<i>Amaranthus speciosus</i>	21	40	64	hA	p.	3	7-8	3
1184	— common	<i>hypochondriacus</i>	2	...	3

A — is employed to indicate varieties.

No.			L.Cl.	L.O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
1185	Quaking Grass	<i>Briza maxima</i>	3	26	103	hA	ap.	feet	s. d.	
1186	Rocket, purple	<i>Hesperis matronalis</i>	15	61	89	hP+	p.	1	7-8	3
1187	sweet	<i>tristis</i>	w.	...	6-9	3
1188	Rose Campion	<i>Lychnis coronaria</i>	10	31	147	...	cr.	2	6-8	3
1189	Scabious, new dwarf	<i>Scabiosa nana</i>	4	25	92	hA	div.	1	6-9	3
1190	dark purple	<i>atropurpurea</i>	d. p.	2	...	3
1191	blood-red	<i>sanguinea</i>	d. r.	3
1192	carmine	<i>miniata</i>	car.	3
1193	carmine and rose	<i>rosea</i>	r. & ro.	3
1194	— and white	<i>alba</i>	r. & w.	3
1195	crimson	<i>kermesina</i>	cr.	3
1196	— dark	<i>atro-kermesina</i>	d. cr.	3
1197	— and lilac	<i>lilacina</i>	er. & li.	3
1198	lilac	<i>lilacina</i>	li.	3
1199	— dark	<i>atro-lilacina</i>	d. li.	3
1200	pale red	<i>rubella</i>	p. r.	3
1201	pale rose	<i>roscella</i>	p. ro.	3
1202	peach-blossom	<i>persiciflora</i>	peach.	3
1203	purple	<i>purpurea</i>	p.	3
1204	purple and white	<i>purpureo-alba</i>	p. & w.	3
1205	rose	<i>rosea</i>	ro.	3
1206	— bright	<i>rosea splendens</i>	l. ro.	3
1207	— deep	<i>atro-rosea</i>	d. ro.	3
1208	red	<i>rubra</i>	r.	3
1209	violet and lilac	<i>violacea var.</i>	v. & li.	3
1210	white	<i>alba</i>	w.	3
1211	Sensitive Plant	<i>Minusa sensitiva</i>	23	51	109	gS	pk.	...	7-9	6
1212	Stock, annual, m.	<i>Malhiola annua, pl. var.</i>	15	61	89	hhA	div.	1	6-9	6
1213	German*, m.	<i>annua densiflora pl. var.</i>	1
1214	— azure	<i>densiflora azurea</i>	az. b.	6
1215	— blue	<i>cærulea</i>	b.	4
1216	— crimson	<i>kermesina</i>	cr.	4
1217	— dark	<i>atro-kermesina</i>	d. cr.	4
1218	— light blue	<i>late-cærulea</i>	l. b.	4
1219	— rose	<i>rosea</i>	ro.	4
1220	— scarlet	<i>coccinea</i>	s.	4
1221	— — dark	<i>atro-coecinea</i>	d. s.	4
1222	— sulphur, new	<i>sulphurea</i>	sul.	4
1223	— variable	<i>variabilis</i>	w. & b.	4
1224	— white	<i>alba</i>	w.	4
1225	large-flowered, m.	<i>grandiflora, pl. var.</i>	div.	6
1226	— scarlet	<i>coccinea</i>	s.	4
1227	Wall-flower-leaved	<i>cheirifolia (græca)</i>	div.	6
1228	— scarlet	<i>coccinea</i>	s.	3
1229	— purple	<i>purpurea</i>	p.	3
1230	— white	<i>alba</i>	w.	3
1231	intermediate, m.	<i>intermedia, pl. var.</i>	div.	1½	8-10	6
1232	— scarlet	<i>coccinea</i>	s.	3
1233	new miniature	<i>pygmæa nova</i>	sky-b.	½	6-9	1
1234	pyramidal	<i>pyramidalis</i>	w.	1¼	...	3
1235	Ten-week, m.	<i>raniosa, pl. var.</i>	div.	3
1236	— purple	<i>purpurea</i>	p.	3
1237	— white	<i>alba</i>	w.	3
1238	— scarlet	<i>coccinea</i>	s.	3
1239	Brompton, m.	<i>simplicicaulis, pl. var.</i>	hhB	div.	3	5-7	6
1240	— purple	<i>purpurea</i>	p.	3
1241	— scarlet	<i>coccinea</i>	s.	3
1242	— white	<i>alba</i>	w.	3
1243	Imperial, m.	<i>semperflorens, pl. v.</i>	hhP+	div.	1½	8-10	6
1244	— blue	<i>cærulea</i>	b.	4
1245	— rose-coloured	<i>rosea</i>	ro.	4
1246	— rosy carmine	<i>roseo-miniata</i>	ro. car.	4
1247	Queen, mixed	<i>incana, pl. var.</i>	hhB	div.	...	5-7	6
1248	— purple	<i>purpurea</i>	p.	3
1249	— scarlet	<i>coccinea</i>	s.	3
1250	— white	<i>alba</i>	w.	3
1251	— new dwarf	<i>nana nova</i>	cr.	6
1252	Sunflower, double tall	<i>Helianthus annuus fl. pl.</i>	19	55	85	hA	y.	7	7-9	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1253	Sunflower, gigantic	<i>Helianthus a. giganteus</i>	19	55	85	hA	y.	12	7-9	6
1254	Indian (dwarf)	<i>indicus</i>	2	...	3
1255	Californian	<i>sp. ex California</i>	o.	6	...	6
1256	dark-eyed	<i>atrorubens</i>	hP†	y.	4	...	4
1257	long-fruited	<i>annuus var.</i>	hA	...	6	...	4
1258	pyramidal	<i>— pyramidalis</i>	4
1259	Sweet Briar	<i>Rosa rubiginosa</i>	12	35	140	hS	pk.	5	5-7	3
1260	Sweet Sultan, purple	<i>Centaurea moschata</i>	19	55	85	hA	p.	2	7-8	3
1261	white	<i>moschata alba</i>	w.	3
1262	yellow	<i>suaveolens</i>	y.	3
1263	Venus'-Looking-Glass*	<i>Campánula Spécutum</i>	5	25	77	...	b.	½	6-8	3
1264	blush*	<i>Spécutum rosea</i>	blsh.	3
1265	white*	<i>— alba</i>	w.	3
1266	large purple*	<i>pentagonia</i>	p.	3
1267	— white*	<i>— alba</i>	w.	3
1268	Venus'-Navel-wort	<i>Cynoglossum tinifolium</i>	74	1	...	3
1269	Virginian Stock, red*	<i>Malcolmia maritima</i>	15	61	89	...	r.	½	...	3
1270	white*	<i>maritima alba</i>	w.	3
1271	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hS	d. br.	2	5-9	3
1272	yellow	<i>Cheiri flavus</i>	y.	3
1273	violet	<i>— violaceus</i>	v.	3
1274	new dwarf	<i>— nana nova</i>	d. br.	1	...	6
1275	double dark	<i>— flore-pleno</i>	2	...	6
1276	— blue	<i>— caerulea</i>	b.	6
1277	— violet	<i>— violacea</i>	v.	6
1278	— yellow	<i>— flava</i>	y.	6
1279	Winter Cherry	<i>Physalis Atkekengi</i>	5	25	148	hP†	w.	2½	...	3
1280	Xeranthemum, purple	<i>Xeranthemum annuum pl.</i>	19	54	85	hA	p.	2	7-9	3
1281	white	<i>annuum album</i>	w.	3
1282	yellow	<i>Helichrysum bracteatum</i>	y.	3
1283	sulphur, new	<i>bracteatum sulphureum</i>	sul.	3
1284	new white	<i>— album</i>	w.	3
1285	Zinnia, golden	<i>Zinnia aurea</i>	hA	y.	3
1286	large-flowered	<i>grandiflora</i>	r.	3

ADDITIONAL FLOWER SEEDS.

The following Flower Seeds arrived too late for insertion in their proper places. Some of them are new and beautiful, and all desirable.

No.	s. d.	No.	s. d.
1287 Anthoecereis pieta, gS	1 0	1295 Melampodium macranthum, hA	6
1288 Canna Warszewiczii, sPb	1 0	1296 Pentstemon Wrightii, hP†	1 0
1289 Cremocéphalum cernuum, hh?	1 0	1297 — Verplankii, hP†	1 0
1290 Delphinium magnificum, hP†	6	1298 Palafoxia texana, hhA	6
1291 Grevillia buxifolia, gS	1 0	1299 Perilla nankinensis, hhA	6
1292 Lobelia caelestis, hhP†	6	1300 Pleroma elegans, sS	1 0
1293 Limnócharis Humboldtii	2 6	1301 Schwerinia superba, sS	1 0
1294 Lupinus magnificus	6	1302 Tropaeolum speciosum, gPb	1 0

TEXIAN SEEDS.

J. Carter begs to inform his customers that he has received advice of a shipment of Flower Seeds from Texas, consisting of 20 sorts, which he believes to be such as will give great satisfaction. Of those he sent out last season, the NEW PINK ANNUAL proved one of the most beautiful introduced of late years. It will be found in the Catalogue under the name of *Sabbatia campestris*, No. 867. The Texian Lupine, now *Lupinus subramosus*, No. 637, is also extremely pretty, and quite distinct. Of the other Annuals he has not yet received any account, but he has no doubt they have proved equally satisfactory. Among the new collection will be found a splendid Thorn, *Cratægus*, bearing a large spike of pure white blossom and orange-coloured berries, which is represented of much quicker growth and far more beautiful than any of this country, and perfectly hardy. The trade can be supplied in large quantities.

Nos. 1303 to 1322.—A collection of 20 Texian Flower Seeds, 15s.

MIXED PACKETS OF FLOWER SEEDS,

comprising the finest and newest varieties, in 6 Sections.

For the particulars of treatment, &c. of the following six Sections, I. to VI., see page 24, as those remarks apply equally to the mixed packets.

I. Hardy Annuals.		Half-hardy Annuals.		IV. Frame Perennials, &c.	
No.	s.d.		s.d.		s.d.
1467 Calliopsis	6		6	1579 Alonsoa	6
1468 Candytuft	3	1524 Portulaca	6	1580 Alstromeria	6
1469 Clarkia elegans	3	1525 Salpiglossis	6	1581 Carnation, extra	2 6
1470 Clarkia pulchella	3	1526 Schizanthus	6	1582 Cistus	6
1471 Collinsia	3	1527 Stock, dwarf Germ.	6	1583 Cornelia	6
1472 Convolvulus minor	1 0	1528 — new large-fl.	6	1584 Dahlia	6
1473 Cyanus	3	1529 — — very dwarf	6	1585 Gladiolus	1 0
1474 Gilia	3	1530 — intermediate	6	1586 Ipomopsis	6
1475 Godetia	6	1531 Zinnia elegans	6	1587 Ixia	6
1476 Hibiscus	3			1588 Marvel of Peru	6
1477 Horn Poppy	3			1589 Mimulus, large	6
1478 Jacobaea	6	III. Hardy Perennials, Biennials and Shrubs.		1590 — dwarf	6
1479 Kaulfussia [ing	3			1591 Picotee, extra fine	2 6
1480 Larkspur, branch-	6	1532 Anemone	6	1592 Sparaxis	6
1481 — dwarf German	6	1533 Antirrhinum	6	1593 Stock, Brompton	6
1482 — Hyacinth	6	1534 Aquilegia	3	1594 — Imperial	6
1483 — tall pyramidal	6	1535 Auricula	6	1595 — Queen	6
1484 Leptosiphon	1 0	1536 Azalea	6	1596 Verbena	1 0
1485 Lupinus, common	3	1537 Campanula	6		
1486 — newer sorts	6	1538 Canterbury Bell, d.	3	V. Greenhouse Seeds.	
1487 Malope	3	1539 — single	3		
1488 Nasturtions, 8 var.	6	1540 Carnation, double	1 0	1597 Acacia	6
1489 Nemophila	3	1541 Centaurea	3	1598 Anagallis	6
1490 Nolana	3	1542 Chrysanthemum, Chinese	1 0	1599 Azalea	6
1491 Poppy, superb new	3	1543 Clematis	1 0	1600 Balsam, double	6
1492 — dwarf French	3	1544 Daisy	1 0	1601 — Camellia	6
1493 Scabious	6	1545 Delphinium, Chin.	6	1602 — new rose	6
1494 Schizanthus	3	1546 — tall	6	1603 — new dwarf	6
1495 Sweet Peas	3	1547 Dianthus, dwarf	6	1604 Calceolaria, 100 var	1 0
1496 Sweet Sultan (Glass)	3	1548 Digitalis	6	1605 — new spotted	1 0
1497 Venus' Looking-	3	1549 Eschscholtzia	3	1606 Chorozema	6
1498 Xeranthemum	3	1550 Forget-me-not	6	1607 Cineraria	1 0
		1551 Gaillardia	6	1608 Cockscorn	6
		1552 Gentiana	3	1609 Cyclamen	6
		1553 Geum	6	1610 Epacris, superb	2 6
II. Half-hardy Annuals.		1554 Heartsease	1 0	1611 Erica	2 6
1499 Aster, Chinese	3	1555 Helianthemum	6	1612 Fuchsia	1 0
1500 — German	6	1556 Hollyhock	6	1613 Geranium	1 0
1501 — Globe	6	1557 Honeysuckle	6	1614 — new hybrid	1 0
1502 — new Bouquet	6	1558 Indian Pink	6	1615 — scarlet	6
1503 — — dwarf	6	1559 Iris	6	1616 Globe Amaranthus	6
1504 — — Peony-fl.	1 0	1560 Lathyrus	3	1617 Helichrysum	6
1505 — — Perfection	1 0	1561 Linum	6	1618 Heliotropium	6
1506 — — pyramidal	6	1562 Lupinus	6	1619 Hibiscus	6
1507 Brachycome	6	1563 Lychnis	3	1620 Ipomaea	1 0
1508 Convolvulus major	3	1564 Enothera	6	1621 Kennedy	6
1509 — splendid, 20 va.	1 0	1565 Papaver	6	1622 Lophospermum	6
1510 Gaillardia	6	1566 Pentstemon	6	1623 Maurandya	6
1511 Gourds	3	1567 Phlox	6	1624 Passiflora	6
1512 Helichrysum	6	1568 Picotee, double	1 0	1625 Primula sinensis	6
1513 Heliophila	6	1569 Peony	6	1626 — fringed	1 0
1514 Ipomaea	6	1570 Polyanthus	1 0	1627 Thunbergia	6
1515 Loasa	3	1571 Potentilla	6	1628 Tropaeolum	1 0
1516 Lobelia, dwarf	3	1572 Ranunculus	6	1629 Greenhouse Seeds	1 0
1517 Marigold, French	3	1573 Rhododendron	1 0		
1518 — African	3	1574 Rose, 50 varieties	5 0	VI. Stove Seeds.	
1519 Martynia	6	1575 Saxifraga	3		
1520 Nycteria	6	1576 Sweet William	6	1630 Achimenes	1 0
1521 Petunia	6	1577 Wallflower, single	6	1631 Canna	6
1522 Phlox Drummondii	6	1578 — double	6	1632 Ferns, Indian	1 0
1523 Podolepis	6			1633 Gesneria	1 0
				1634 Gloxinia	1 0
				1635 Stove Seeds	1 0

A CHOICE COLLECTION OF HARDY AND GREENHOUSE BULBS.

12, 25 or 50 Bulbs may be had at the same rate as per 100; and a quarter- or half-pound at the same rate as per lb.; and 3 at the same rate as per dozen.

HARDY BULBS.		s.	d.	Seedlings from <i>G. ramosus</i> (continued).		s.	d.
<i>Amaryllis lutea</i> , yellow	per doz.	2	6	— Professor Berger, spotted	each	2	0
<i>formosissima</i> , most beautiful		5	6	— <i>Purpurea Superba</i> , new purple	"	2	6
<i>Anemone</i> , double, 100 varieties	per 100	20	0	— Van Doveren, rose-spotted	"	1	6
<i>Feu Superbe</i> , bright scarlet	per doz.	2	6	— <i>Variegata</i> , cherry-spotted	"	1	0
<i>Fleur de Parade</i> , fine blue	"	2	6	— <i>Zenobia</i> , striped earmine	"	1	6
<i>Josephine</i> , deep scarlet	"	2	6	— 12 extra fine sorts	"	18	0
<i>La Brillante Eclatante</i> , s. searl.	"	1	6	<i>Hyacinthus amethystinus</i> , blue	per doz.	2	6
<i>Pourpre Superbe</i> , purple	"	2	6	<i>Iris susiana</i> , <i>Susian</i>	"	3	6
<i>Anemone hortensis</i> , 25 fine varieties	"	5	0	— <i>tuberosa</i> , <i>tuberosus</i>	"	3	6
fine mixed, in great variety	per 100	10	0	<i>Lilium speciosum album</i> , white	each	1	6
splendid mixed double	per lb.	6	0	— <i>speciosum rubrum</i> , red	"	3	0
new mixed single	"	3	6	<i>Ornithogalum arabicum</i> , white	per doz.	2	6
<i>Camassia esculenta</i> , edible	each	1	0	— <i>umbellatum</i>	"	1	0
<i>Corydalis bulbosa</i> , bulbous	"	0	6	<i>Ranunculus</i> , double, 100 varieties	100	20	0
<i>Crinum capense</i> , Cape	"	1	0	Extra fine mixed	"	7	0
<i>Dahlia</i> , dry Roots, per doz. 9s. 12s. to		18	0	<i>Turban</i> , crimson purple	"	5	0
<i>Gladiolus blandus</i> , fair	per doz.	5	0	— orange Boven	"	10	0
<i>cardinalis</i> , scarlet	"	3	6	— splendid scarlet	"	2	6
<i>Colvillii</i> , variegated	"	3	6	— <i>Séraphique</i>	"	4	0
<i>communis purpureus</i>	"	1	6	— <i>Turban d'Or</i>	"	4	0
<i>formosissimus</i> , beautiful red	"	5	6	— finest mixed, 8 var.	"	6	0
<i>gandavensis</i> , yellow & scarlet	"	4	0	— new Scotch, 100 var. named	"	40	0
<i>natalensis</i> (<i>psittacinus</i>)	"	3	0	— finest mixed Scotch	"	10	0
<i>oppositiflorus</i> (<i>floribundus</i>)	"	3	0	<i>Tigridia Pavonia</i>	per doz.	2	6
<i>Queen Victoria</i> , scarlet	"	5	6	— <i>couchiflora</i> , yellow	"	3	0
<i>ramosus</i> , branching	"	3	6	— <i>superba</i> , scarlet	"	3	6
Seedlings from <i>G. gaudavensis</i> :				<i>Tuberoses</i> , double, require heat	"	4	0
— <i>Agricola</i> , dark scarlet	each	1	0	<i>Zephyranthes candida</i> , white	"	3	0
— <i>Bedfordianus</i> , rose-striped	"	1	0	— <i>atamaseo</i> , <i>Alamaseo Lily</i>	"	3	0
— <i>Boitianus</i> , light vermilion	"	1	0	— <i>carinata</i> , keel-shaped	each	1	0
— <i>Princesse Louise</i> , crimson	"	1	0	GREENHOUSE BULBS.			
— <i>Spearmanni</i> , var. vermilion	"	1	0	<i>Amaryllis crispa</i> , curled	each	1	0
— splendid mixed Seedlings	per doz.	5	0	— <i>falcata</i> , sickle-shaped	"	4	0
Seedlings from <i>G. ramosus</i> :				— <i>fulgida</i> , scarlet	"	3	6
— <i>Abdel Kader</i> , spotted	each	1	6	— <i>Johnsoni</i> , <i>Johnson's</i>	"	4	0
— <i>Belvedere</i> , spotted orange	"	1	6	— <i>striatiflora</i> , striped	"	4	0
— <i>Brenchleyensis</i> , deep red	"	1	6	— <i>miniata</i> , vermilion	"	4	0
— <i>Dictator</i> , large orange	"	2	0	— <i>orientalis</i> (<i>multiflora</i>)	"	7	0
— <i>Duchesse d'Orléans</i> , red	"	1	0	— <i>undulata</i> , waved	"	2	6
— <i>Ernst Maltravers</i> , spotted	"	1	0	— <i>uniflora</i> , beautiful	"	1	6
— <i>Fauny Elster</i> , rose-spotted	"	1	0	— <i>vittata</i> , striped	"	2	6
— <i>Graaf van Nassau</i> , purple	"	1	6	— Cape species, fragrant	"	3	0
— <i>Imperialis</i> , striped	"	1	0	<i>Cyclamen persicum</i> , <i>Persian</i>	"	1	0
— <i>Königium der Niederländer</i>	"	1	6	— <i>Cyrtanthus obliquus</i> , fine	"	3	0
— <i>Lady Dungannon</i> , saffron	"	1	6	— <i>odorus</i> , fragrant	"	2	6
— <i>La Plus Belle</i> , orange	"	2	6	<i>Ferraria undulata</i> , waved	"	1	0
— <i>L'Honneur d'Amsterdam</i>	"	2	0	<i>Gesneria splendens</i> , splendid	"	2	6
— <i>Lindleyanus</i> , orange	"	1	6	<i>Gloxinia</i> , 12 fine varieties	"	1	6
— <i>Lisette</i> , rose, spotted	"	1	0	— <i>Nerine curvifolia</i> , small	"	1	0
— <i>Lord Dudley</i> , cherry	"	1	6	— <i>Pentlandia miniata</i> , vermilion	"	1	0
— <i>Lord Grey</i> , striped lilac	"	1	6	— <i>Phadranassa chloracea</i>	"	1	6
— <i>Lord Palmcrston</i> , rose	"	1	6	— <i>Tritonia aurea</i> , golden	"	2	6
— <i>Louis Philippe</i> , orange	"	2	0	— <i>Tropæolum azureum</i> , blue	"	3	6
— <i>Mad^{lle} Rachel</i> , bright orange	"	1	6	— <i>brachyceras</i> , short-horned	"	1	6
— <i>Mrs. Fry</i> , striped red	"	1	6	— <i>Jarrattii</i> , Mr. Jarratt's	"	2	0
— <i>Pavonia</i> , striped	"	3	0	— <i>pentaphyllum</i> , five-leaved	"	1	0
— <i>Prince Charles</i> , red-spotted	"	1	0	SUNDRY PLANTS.			
— <i>Prince of Waterloo</i> , orange	"	1	6	<i>Carnations</i> , prize flowers	12 pair	16	0
— <i>Princess Amelia</i> , bright rose	"	1	0	<i>Picotees</i> , white, do.	"	16	0
— <i>Princess of Baden</i> , red-striped	"	2	6	— yellow do.	"	16	0
— <i>Princess Sophia</i> , saffron	"	1	6	<i>Roses</i> , Standards, fine	per doz.	24	0
— <i>Princess Wilhelmina</i> , spotted	"	2	0	— Dwarfs, &c. &c. per doz.	12s. to	18	0

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart. 3 & 4, March & April, &c. &c.	Price.	Month of Sow.	pa. packet; bush. bushel. 10 to 6, November till June, &c.	Price.
	<i>See note page 30.</i>	<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, green per oz.	1 0	3 to 4	Broccoli, Impregnated per oz.	1 0
	purple " "	1 0		Incomparable white " "	1 0
	Asparagus, Giant per lb.	2 0		Invisible " "	1 0
10 to 6	large early Batavian per oz.	6		self-protecting " "	1 0
	Beans, <i>early sorts</i> per qt.			Lake's white " "	1 0
	earliest dwarf Fan " "	8		large Cornish " "	1 0
	early Mazagan " "	8		— Spring white " "	1 0
	— long-pod " "	8		— — purple " "	1 0
	green Nonpareil " "	8		late Cape " "	1 0
	Johnson's Wonderful " "	8		— close-headed pur. " "	1 0
1 to 5	new Emperor " "	1 0		— white " "	1 0
	large Windsor " "	8		London Particular " "	1 0
	Taylor's do. " "	8		Miller's dwarf white " "	1 0
3 to 5	Beet, fine large red per oz.	4		new Mammoth " "	1 0
	new German " "	4		new Victoria " "	1 0
	new purple-top " "	4		Portsmouth " "	1 0
	Mitchel's crimson " "	4		Potter's new pink " "	1 0
	small red pickling " "	4		Snow's superb " "	1 0
	turnip-rooted " "	3		very late dwarf Danish " "	1 0
	silver or Spinach Beet " "	3		Wilcove large white " "	1 0
	white " "	3		Winter Imperial " "	1 0
	Garnishing, in 3 col. per pa.	3		1 oz. 8 best for succession	7 0
3 to 4	Borecole, or Kail per oz.	3		1 " 4 do. do.	3 6
	dwarf green curled " "	3		½ " 8 do. do.	3 6
	dwarf browu " "	3		½ " 4 do. do.	1 9
	tall green " "	3	3 to 4	Brussels Sprouts per oz.	6
	Asparagus, new " "	6		imported Belgian " "	1 0
	Blue Giant " "	4	3 to 9	Cabbage, Atkins' Matchless " "	6
	Buda " "	3		Barnes' early " "	6
	Delaware " "	3		Carter's early " "	1 0
	Jerusalem " "	3		Carter's Matchless " "	1 0
	Knoll " "	3		early Battersea " "	6
	new feathered Scotch " "	4		— dwarf " "	6
	new heading " "	6		— East Ham " "	6
	Palm-leaf " "	1 0		— Emperor " "	6
	purple " "	3		— — Downe's " "	6
	Ragged Jack " "	3		— — Grand " "	6
	variegated, 3 vars. " "	6		— Enfield Market " "	6
4 to 6	Broccoli, early pur. Cape per oz.	1 0		— Hope " "	6
	Cape white " "	1 6		— London Market " "	6
	— green " "	1 0		— Marrow, Tiley's " "	6
3 to 5	early cauliflower " "	1 0		— Nonpareil " "	6
	— close-headed pur. " "	1 0		— Paignton " "	6
	— Grange's " "	1 6		— Paragon " "	1 0
	— Malta " "	1 0		— Reliance " "	1 0
	— purple " "	1 0		— Sprothro' " "	6
	— sprouting " "	1 0		— Sugar-loaf " "	6
3 to 4	— Walcheren " "	1 0		— superfine " "	6
	— white " "	1 0		— Vanack " "	6
	— Wren's " "	1 0		— Wellington " "	6
	Adam's white " "	1 0		— West Ham " "	6
	Brimstone " "	1 0		— York " "	6
	Chappel's cream " "	1 0		King of the Cabbages " "	6
	dwarf Russian " "	1 0		Shilling's Queen " "	6
	— Siberian " "	1 0		large Battersea " "	6
	Elletson's gigantic " "	1 0		— Imperial " "	6
	Field's new white " "	1 0		— late " "	6
	Hanks' late white " "	1 0		— Pomeranian " "	1 0
	Hampton Court " "	1 0		— York " "	6
	Howden's superb " "	1 0		— Drumhead " "	3

Month of Sow.	oz. ounce ; lb. pound ; qt. quart. 3 & 4, March & April, &c. &c.	Price.	Month of Sow.	pa. packet ; bush. bushel. 10 to 6, November till June, &c.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 9	Cabbage, 1 oz. 6 finest for succes.	3 6	4 & 5	Cucumb., short prickly ls. per oz.	3
	" 1/2 " 6 do. do.	1 9		white Turkey " "	3
	Red, for Pickling per oz.	6		<i>Prize frame varieties :</i>	
3 to 6	— Dutch, large " "	6	9 to 6	Carter's whitespine p. pack.	1 0
	Savoy, new Ulm " "	1 0		*Colney llateh, w. s. " "	1 0
	— dwarf green " "	6		*Cuthill's black spine " "	6
	— Drumhead " "	6		Defiance " "	1 0
	— globe " "	6		Emperor " "	6
	— Mitchel's dwarf " "	6		Haben's Conqueror " "	1 0
	— yellow " "	6		*Lord Kenyon's favorite, " "	6
	— yellow Blumenthaler " "	6		Manchester Prize " "	6
	Chou de Marseilles " "	1 0		Man of Kent " "	6
3 to 8	Chou de Milan, imported, " "	1 0		Ne Plus Ultra " "	1 0
	Colewort (for greens) " "	6		Ne Plus Ultra, white " "	1 0
	Couve Tronchuda " "	1 0		Patrician, extra " "	1 0
	Kohl-Rabi, a.g. lar. pur. " "	3		Roman Emperor " "	1 0
	— aboveground, ear. wh. " "	6		*Sion House " "	6
	— do. early blue " "	6		Superb Pea green, ext. " "	1 0
	— under ground, best " "	6		Victory of Suffolk " "	1 0
	Thousand-headed " "	3		Victrix, new white " "	1 0
2 to 9	Carrot, early Horn " "	3		Warwickshire Hero " "	1 0
	early scarlet frame " "	3		*Weedon's frame " "	6
	— long Frankfort " "	3		Wonder " "	1 0
3 to 4	long Surrey, per lb. 3s. " "	3		finest mixed " "	1 0
	— orange, " " 3s. " "	3		6 finest varieties " "	5 0
	new early Sweet " "	6	4 & 5	Egg Plant " "	3
	fine white, for stewing " "	3	5 to 8	Endive, green curled per oz.	6
	scarlet Altringham, lb. 3s. " "	3		white curled " "	6
3 to 5	Cauliflower, early " "	1 6	8 to 9	green curled winter " "	6
and in	late " "	1 6	5 to 8	Batavian, green " "	6
August	large Asiatic " "	1 6		— white " "	6
	late German " "	1 6	2 & 6	French Beans, dwarf dun, p. qt.	1 4
	new Stadtholder " "	1 6		dwarf Canterbury " "	1 4
	Walcheren " "	1 6		— Case-knife " "	1 4
	1 oz. 4 best for succession	5 0		*— dark dun " "	1 4
	1/2 " 4 do. do.	2 6		*— early forcing " "	1 4
3 to 5	Cardoon, Spanish per oz.	6		— earliest Victoria " "	1 4
	new large purple " "	1 0		— early prolific " "	1 4
	Celery, Giant red " "	4		*— Fulmer's foreing " "	1 4
	Giant white " "	4		*— New Nonsuch " "	1 4
	Champion white " "	6		*— Negro " "	1 4
	Cole's solid red " "	6		— Pearl Sugar, extra " "	1 6
	curled dwarf " "	4		— speckled " "	1 4
	Hillingdonian red " "	6		— Newington Wonder, " "	1 4
	Jones' Matchless " "	4		— Royal dwarf " "	1 4
	Lane's new red " "	6		*— Sion House " "	1 4
	large-rooted Celeriac " "	3		— white Princess " "	1 6
	— new curled do. " "	3		tall or Scarlet Runners " "	1 4
	Law's white Giant " "	4		— new Giant do. do. " "	2 6
	Manchester red " "	4		— Dutch Case-knife " "	1 6
	— white " "	4		— French Haricots " "	1 6
	Seymour's white " "	4		— Painted Lady " "	1 6
	solid red " "	3		— Pearl or Turkey " "	1 6
	— white " "	3	3 to 5	Ice Plant per pa.	3
	Wheeler's pink " "	3	4 to 5	Indian Corn, Quarantain " "	3
	Corn Salad " "	3	3 to 5	Leek, London Flag per oz.	6
	new Italian " "	6		early Summer " "	6
2 to 10	Cress, common per qt.	1 6		Musselburg " "	1 0
	triple curled " "	1 6		large Rouen " "	1 0
	golden per oz.	3		new Giant " "	1 0
	Normandy " "	3		thick Winter " "	1 0
	perennial American " "	3	3 to 9	Lettuce, Cos, Bath*	1 6
	Water per pa.	6		*Cos, black-seeded Bath, " "	1 6
9 to 6	Cucumber, fine frame " "	6		— blood " "	1 6
4 & 5	long prickly, per oz. 1s. " "	3		— Brighton " "	1 6
	long German " "	3		— Cape " "	1 6
	long Ridge " "	3		— Cove " "	1 6
	Stockwood, extra " "	6		*— brown " "	1 6

Month of Sow.	oz. ounce; lb. pound; qt. quart. 3 & 4, Mareh & April, &c. &c.	Price.	Month of Sow.	pa. packet; bush. bushel. 10 to 6, November till June, &c.	Price.
		s. d.			s. d.
* Both for Autumn and Spring Sowing.	3 to 9 Lettuce, Cos, *Egyptian per oz.	1 6	3 to 8 Parsley, extra curled per oz.		3
	Cos, Florence "	1 6	Myatt's garnishing "		3
	— green "	1 6	new matchless "		6
	— Imperial "	1 6	large-rooted Hamburg "		3
	*— new hardy green "	1 6	— early thick do. "		3
	*— — white "	1 6	— long late do. "		3
	— spotted "	1 6	3 to 5 Parsnip, best large "		3
	— Nonpareil, white "	1 6	Hollow-crowned "		3
	— green "	1 6			
	— Paris "	1 6	10 to 5 Peas: 1. <i>Earliest sorts.</i>		
	— white "	1 6	Carter's earliest per qt.	1 6	
	1 oz. 6 best sorts	8 0	Warner's Emperor "	9	
	½ „ 6 do. do.	4 0	Prince Albert "	9	
	Cabbage, Asiatic "	1 6	early frame 8d., Kent "	8	
	— Belle et Bonne "	1 6	— May 8d., Warwick "	8	
	— blood-red "	1 6	— Charlton "	8	
	*— brown Dutch "	1 6	Auvergne, fine "	1 0	
	— Drumhead "	1 6	Bishop's new long-pod. "	1 0	
	— early Stone "	1 6	**Champion of England "	1 0	
	— Grand Admiral "	1 6	Early blue, Eelipse "	1 0	
	*— hardy Hammersmith "	1 6	Fairbeard's Surprise "	1 0	
	— Imperial "	1 6			
	— Magnum Bonum "	1 6	II. <i>Later sorts.</i>		
	— Malta "	1 6	Marrow, Stub's e. blue "	1 0	
	— Marseilles "	1 6	— dwarf white "	10	
	— Mogul "	1 6	— dwarf green "	10	
	*— white "	1 6	— Noble's early green "	1 0	
	*— pink-edged "	1 6	— Glory of England "	10	
	— red Swedish "	1 6	— matchless green "	10	
	*— Tennis-ball "	1 6	— Royal Victoria "	10	
	— Turkey "	1 6	— Woodford's green "	10	
	— Victoria "	1 6			
	— yellow Prince "	1 6	III. <i>Wrinkled Marrows.**</i>		
	— Silesian, brown "	1 6	British Queen "	1 4	
	— spotted "	1 6	Carter's Victoria "	1 6	
	1 oz. 6 finest sorts	8 0	Hairs' dwarf Mammoth "	1 6	
	½ „ 6 do. do.	4 0	Knight's dwarf white "	1 0	
4 to 5	Love apple (Tomato), red oz.	1 0	— dwarf green "	1 0	
	yellow packet 3d. "	1 0	— tall white "	1 0	
	new Mammoth „ 3d. "	1 6	— Ne Plus Ultra "	1 6	
	pear-shaped „ 3d. "	1 0	King of the Marrows "	1 6	
3 to 6	Mallow, garnishing per pa.	3	Ward's Incomparable "	1 6	
2 to 10	Mustard, white per qt.	1 4			
3 to 6	Onion, blood-red, per lb. 7s. p. oz.	6	IV. <i>Various Peas.</i>		
	*Deptford „ 6s. 6d.,	6	Bedman's Imperial "	8	
3 to 5	Globe „ 6s. 6d.,	6	Blue Prussian "	8	
	— new white "	6	Flack's Victory "	8	
	James's keeping "	6	Seimitar "	8	
3 to 8	*Lisbon "	6	Sugar, dwarf "	1 6	
	*new Giant "	6			
3 to 6	Pickling "	6	Peas for Succession.		
	Portugal, br. lb. 6s. 6d. "	6	10 finest sorts 1 qt. each	12 0	
	— white „ 7s. 0d. "	6	10 do. do. 1 pt. "	6 0	
	*Reading „ 7s. 0d. "	6	6 newest do. 1 qt. "	8 0	
	Silver-skinned "	6	6 do. do. 1 pt. "	4 0	
	*Spanish, brown „ 6s. 6d. "	6	6 dwarfest do. 1 qt. "	6 0	
	*— white „ 7s. 0d. "	6			
	*Strasburg "	6			
3 to 8	*Tripoli, large flat "	6			
	*— — round "	6			
3 to 9	Two-bladed early "	6			
	very early Nocera "	1 0			
8 to 9	Weleh "	3			
	6 finest sorts, 2 oz. each	5 6			
	6 do. do. 1 do.	2 6			
	Orach, French Spinaeh, oz.	4			
	— yellow "	4			
	— purple garnishing "	4			

*The Wrinkled Marrows***,
(including also Champion of
England,) see No. 1., form a
distinct class, and can be highly
recommended. Carter's Vic-
toria Marrow is warranted the
largest and finest-flavoured of
all the White Peas. II. III. and
IV. all good for middle and late
crops. Bedman's Imperial,
Knight's dwarf, Prussian Blue,
Royal Victoria and Carter's
Victoria for very late crops.

Month. of Sow.	oz. ounce ; lb. pound ; qt. quart. 3 & 4, March & April, &c. &c.	Price. s. d.	Month of Sow.	pa. packet ; bush. bushel. 10 to 6, November till June, &c.	Price. s. d.
4 to 5	Pompkin, large yellow per pa.	3		HERBS.	
	green Spanish "	3		<i>In 3d. Packets ; or per Ounce ; to be sown in April or May.</i>	
	Mammoth "	3		Angelica Fennel, sweet	
	Potato, early per pa. 6d. p. oz.	1 6		Anise — — Dutch	
	late " 6d. "	1 6		Balm Fenugreek	
1 to 9	Radish, long frame per qt.	2 6		Basil, bush Horchound	
	Wood's new frame "	2 6		— sweet Hyssop	
	early scarlet "	2 6		Benedict Lavender	
	early short topt "	2 6		Borage Marjoram, pot	
	long Salmon "	2 6		Buglos — sweet	
	long white "	2 6		Capsicum, large Pimpernel	
	white Naples "	3 0		— cherry Pot Marigold	
	red Turnip "	2 6		— large bell Purslain, green	
	white Turnip "	2 6		— — Squash — golden	
	mixed Turnip "	2 6		— Sweet Rosemary	
	new olive-shaped per oz.	3		— — Spanish Rue	
	black Spanish, summer "	3		Chervil Sage	
	— — winter "	3		— Spanish Savory, Summer	
	new China rose-col ^d "	6		Chilis — Winter	
4 to 6	Rampion per pa.	3		Clary Scirvy Grass	
	Rhubarb, mixed "	6		Dill Tarragon, plants	
	Eleonora "	6		Fennel Tobacco, fumig.	
	Royal Albert "	6		— Bolognese Thyme	
	Tobolsk "	6		— Florence Wormwood	
	Victoria "	6		<i>Chives, Lemon Thyme and Tarragon to be had in Plants only.</i>	
	Salsafy per oz.	6		ROOTS AND PLANTS.	
	Scorzonera "	6		<i>Some of the prices variable.</i>	
3 to 6	Sea Kail "	6		Artichokes per peck	2 0
	Skirret "	6		— Jerusalem "	2 0
	Sorrel "	4		Asparagus, 2 years per 100	2 6
	broad-leaved "	4		— 3 years, large "	5 0
3 to 9	Spinach, round per qt.	1 0		— extra large, for forcing "	7 0
	new Gaudry per oz.	3		Garlic per lb.	1 0
	new Savoy "	4		Mushroom Spawn per bush.	4 0
	priekly per qt.	1 0		Potato, early ash-leaved "	
	broad Flanders "	1 0		— Regents, late "	
3 to 6	New Zealand per oz.	6		And all other sorts.	
4 to 6	Squash, fine mixed per pa.	3		Rhubarb, Linnaeus each	1 0
	— Autumnal Marrow "	4		Royal Albert "	1 0
	— Golden Bush "	4		Tobolsk "	1 0
	— green Bell "	4		Victoria "	1 0
	— Bush "	6		Sea Kail per 100	6 0
	— Lima Cocoa Nut "	4		— extra large, for forcing "	12 0
	— Summer Crookneck, "	4		Shallots per lb.	1 0
	— Winter do. "	4		<i>And all other Seeds and Plants for the Kitchen Garden. When sown before the usual time in Spring, a hot-bed frame is required for Carrot, Couli- flower, Cucumber, French Beans, Gourds, Lettuce, Potato, Pomp- kin, Radish, Vegetable Marrow, and most others except Peas and Beans.</i>	
	— White Scallop Bush "	4			
3 to 8	Turnip, early Dutch, lb. 3s., oz.	3			
	early Mousetail, " 3s., "	3			
	— Six-week "	3			
	— Snowball "	3			
	— Nonsuch "	3			
	— Selected Stone, lb. 3s., "	3			
	new American, extra "	4			
	new black for stewing "	4			
	large white "	3			
	yellow Maltese "	3			
	— Dutch "	3			
	— Preston "	3			
	— Stone "	3			
	— Swedish, finest "	2			
	— Teltau or Märksche "	6			
4 to 6	Vegetable Marrow per pa.	3			
	white, egg-shaped "	3			

FRUIT SEEDS. Per packet.

No.	per packet.	s. d.	No.	per packet.	s. d.
1636 Apricot	"	6	1664 Melon, small green-flesh	"	6
1637 Currant, white, red and black	"	6	1665 — — netted orange	"	6
1638 Gooseberry, white	"	6	1666 — Snow's horticultural	"	1 0
1639 — red	"	6	1667 — splendid large green	"	1 0
1640 Grape, finest-flavoured	"	1 0	1668 — sweet Ispahan	"	6
1641 Melon, Beechwood	"	1 0	1669 — Trentham Hall	"	1 0
1642 — Bromham Hall	"	1 0	1670 — very fine green oval	"	1 0
1643 — Carter's green-flesh	"	1 0	1671 — fine mixed, 20 var.	"	1 0
1644 — Early Cantalupe	"	6	1672 — 6 fine sorts	"	4 0
1645 — Prescott, do.	"	6	1673 — Water, black Spanish	"	6
1646 — Egyptian green-flesh	"	6	1674 — — Carolina	"	6
1647 — Five netted do.	"	6	1675 — — Ice-cream	"	6
1648 — Nutmeg	"	6	1676 — — Long Island	"	6
1649 — Goodwin's Imperial	"	6	1677 — — Sweet Cabul	"	6
1650 — Green Citron	"	6	1678 — — fine mixed	"	6
1651 — Hybrid green-flesh	"	6	1679 Mulberry, white	"	6
1652 — Ionian green-flesh	"	6	1680 — black	"	6
1653 — Kew Green	"	6	1681 Nectarine	"	6
1654 — Lord Mansfield's	"	1 0	1682 Quince	"	6
1655 — Pine-apple	"	6	1683 Peach	"	6
1656 — Pitfour, fine	"	6	1684 Pear and Apple	"	6
1657 — Pomegranate, smallest	"	6	1685 Plum, mixed	"	6
1658 — Provence, superb	"	1 0	1686 Raspberry, finest red	"	6
1659 — Queen's Pocket	"	1 0	1687 Strawberry, red Alpine	"	6
1660 — Rock, scarlet	"	6	1688 — white Alpine	"	6
1661 — Royal Fitzgerald	"	1 0	1689 — British Queen	"	6
1662 — Sirdar, 2 var.	"	6	1690 — Elton Pine	"	6
1663 — Skillman's Netted	"	6	1691 — fine mixed	"	6

COLLECTIONS OF FLOWER SEEDS.

For the convenience of Ladies and Gentlemen to whom the names may not all be familiar, the lists of Hardy and Half-hardy Annuals, Perennials, Greenhouse and Stove Seeds will be useful in making a selection, as they comprise the most favourite sorts. Some of the hardy Annuals, as Calliopsis, which flower earlier when treated as half-hardy, will be found under both sections. A few Biennials and Perennials commonly treated as Annuals, as Calandrinia, Eschscholtzia, Indian Pink, Petunia, Salpiglossis, &c., are included among the latter. Some of the half-hardy Annuals, &c. are also proper for the greenhouse, and are included in the list.

Hardy Annuals.—Assortments 29, 38 to 41, 45, 47, 48 (see page 4), Nos. 68, 79, 121, 134, 141, 165, 166 to 174, 177 to 181, 219, 242 to 251, 268 to 272, 278, 326, 342 to 349, 355, 394, 399 to 402, 405, 408, 409, 410 to 443, 447 to 456, 469 to 493, 505, 506, 560, 574 to 578, 627 to 638, 665, 666, 713, 714, 717 to 720, 725 to 727, 753, 791, 802, 881, 887 to 894, 950, 951, 969, 1010 to 1016, 1027, 1028, 1044 to 1051, 1092 to 1098, 1100, 1104, 1106, 1110, 1146 to 1151, 1157 to 1163, 1175 to 1177, 1179, 1189 to 1210, 1253; or any of the Assortments 1323 to 1362; or the mixed Packets 1467 to 1498.

Half-hardy Annuals, &c.—Assortments 1, 3, 5, 7, 9, 11, or the smaller packets (2, 4, 6, 8, 10, 12); 15, 17, 19, 21, 22, 23; or the smaller packets (16, 18, 20 (21, 22), 24); 27, 30 to 33, 35, 42, 43, 41, 46, 51 or 52, 55, 57, Nos. 71, 72, 142, 143, 149, 156, 160, 166 to 174, 177 to 181, 225, 237, 254 to 257, 262, 280, 298, 366, 406, 415 to 419, 459, 460, 469 to 493, 496, 497, 540 to 549, 602, 603, 606 to 614, 672 to 676, 684, 685, 688 to 702, 781 to 790, 792 to 798, 803 to 807, 810 to 820, 844, 867, 868 to 873, 880, 884 to 886, 910, 975 to 988, 990 to 996, 1000 to 1043, 1058, 1123 to 1131, 1289, 1292, 1295, 1298, 1299; or any of the Assortments 1363 to 1396; or mixed Packets 1499 to 1531.

Hardy Perennials, &c.—Assortments 29, 36, 37, 49 or 50, Nos. 113, 115, 186, 187, 192, 196, 199, 211, 212, 281, 305 to 313, 318, 321, 326, 329 to 331, 342 to 349, 355, 439, 468, 526, 568 to 570, 639 to 656, 705 to 709, 754 to 758, 771 to 780, 821 to 832, 874, &c., 911 to 913, 997, 1076, 1290, 1294, 1297. The following require protection in Winter (274, 334 to 336, 338 to 340, 518, 619 to 621, 833, 834, 1139), or any of the Assortments 1397 to 1436; or the mixed Packets 1532 to 1596.

Greenhouse Seeds.—Assortments 30 to 33, 43, 44, 46, Nos. 82 to 86, 145, 163, 197, 198, 234, 266, 302, 366, 384, 396, 405, 457, 459 & 460, 515, 527, 534, 535, 556, 557, 622 to 625, 671, 677 to 680, 724, 732 to 734, 808, 838 to 841, 861, 867, 872, 884 to 886, 895, 918, 927 to 932, 934, 999 to 1008, 1392, or any of the Assortments 1437 to 1462, or mixed Packets 1597 to 1629. Also the Annual and Imperial Stocks.

Stove Seeds.—Nos. 65, 127, 138 and 139, 151, 205, 206, 265, 301 and 302, 377, 397, 398, 434 and 435, 445 and 446, 457, 509, 529, 536, 538, 573, 809, 1293, 1300, 1301, or any of the Assortments 1463 to 1466, or mixed Packets 1630 to 1655.

A selection of the Newest Annuals, &c.—75, 120, 173, 174, 177, 180, 183, 222, 281, 301, 424, 426, 427, 457, 462, 502, 509, 521, 557, 578, 581, 592, 596, 616, 663, 867, 872, 925, 953, 955, 971, 972, 1287, 1288, 1289, 1290, 1291, 1295, 1296, 1297, 1298, 1299, 1300, 1301, and the Texian Seeds Nos. 1303 to 1322.

AGRICULTURAL SEEDS.

The prices of Clover and other Agricultural Seeds are variable.

	s.	d.		s.	d.
Beet, Sugar	per lb.		Rape, broad-leaved	bush.	
Buck Wheat	per bush.		Rye		
Burnet	per lb. or ewt.		Tares, Spring	"	
Broom	"		— Winter	"	
Cabbage, Drumhead	"		Turnip, Dale's hybrid	per lb. or bush.	
— flat Brunswick	"		Aberdeen, yellow	"	
— flat Dutch	"		Globe, green	"	
— large Savoy	"		— red	"	
— Thousand-headed	"		— white	"	
— Kohl-Rabi, purple	"		Gordon yellow	"	
— green	"		Round, green	"	
— under-ground	"		— red	"	
Carrot, long red	"		— white	"	
— largest red Altringham	"		Swedish, Ashcroft's	"	
— white Belgian	"		— Emperor	"	
— yellow Belgian	"		— Fettercairn	"	
Caraway	per lb. or cwt.		— green top	"	
Chicory, Brunswick	lb.		— purple top	"	
— large-rooted for Coffee	"		— Laing's	"	
Flax or Linseed	bush.		— Matson's	"	
Furze, Gorse or Whin	lb.		— River's Stubble	"	
— French	"		— Skirving's	"	
Gold of Pleasure	"		Stubble Stone	"	
Kail, curled	"		Tankard, green	"	
Mangel-Wurzel, long red	"		— red	"	
— long yellow	"		— white	"	
— long white	"		— yellow	"	
— red Globe	"		Yellow, Scotch g. top	"	
— white Globe	"		— Scotch purple top	"	
— yellow Globe	"				
Mustard, white	bush.		TEXIAN GRAIN, new, resembles		
— brown	"		Wheat in shape but is smaller and		
Parsley	"		shorter in proportion and without the		
Parsnip	lb.		furrow.	per pack.	1 0
— large Guernsey	"		New Texian grass, excellent	"	1 0

GRASS, CLOVER, AND OTHER FORAGE PLANTS.

	s.	d.		s.	d.
Achillea millefolia, Yarrow	per bush. or per lb.		Lolium perenne sempervirens, evergreen		
Agrostis stolonifera, Fiorin or Bent	"		Rye Grass	per bush.	
Aira cespitosa, tufted Hair Grass	"		— annuum, annual	do.	
Alopecurus pratensis, Meadow Foxtail	"		Lotus corniculatus, Bird's-foot Trefoil	" lb.	
Anthoxanthum odoratum, Sweet Vernal	"		Medicago sativa, Lucerne	"	
Arrhenatherum avenaceum, French Rye Grass	"		— lupulina, common Trefoil	cwt.	
Avena elatior, tall Oat Grass	"		Melilotus leucantha major, Bokhara Clover	lb.	
— flavescens, yellow Oat do.	"		Onobrychis sativa, Sainfoin	bush.	
Festuca duriuscula, Hard Fescue	"		Phleum pratense, Timothy or Cat's-tail	lb.	
— elatior, tall Fescue	"		Poa angustifolia, narrow-leaved Meadow	"	
— ovina, sheep's Fescue	"		— pratensis, smooth-stalked Meadow	"	
— pratensis, meadow Fescue	"		— nemoralis, wood Meadow	"	
— rubra, red Fescue	"		— nervosa, strong Meadow	"	
— tenuifolia, fine-leaved Fescue	"		— trivialis, trivial or rough-stalked Meadow	"	
Holcus lanatus, Yorkshire Fog	"		Trifolium pratense, red Clover	cwt. or lb.	
Lolium italicum, Italian Rye Grass	per bush.		— perenne, perennial or Cow Grass	"	
— perenne, Perennial do.	"		— repens, white or Dutch Clover	"	
— Pacey's do.	"		— hybridum, or Alsike	"	
			— incarnatum, crimson Italian	"	
			— minus, Suckling	"	

MIXED GRASS SEEDS FOR LAWNS, PASTURES, &c.

	lb.	bush.	acre.		lb.	bush.	acre.
Lawn Grass for light soils				Permanent Grass, for light soils			
— for heavy	do.			— for heavy	do.		
— " gravelly dry	do.			— " gravelly dry	do.		
— " marshy	do.			— " marshy	do.		
— " mossy	do.			— " mossy	do.		
— " moory	do.			— " moory	do.		